


iQ700, Built-in compact oven with steam function, Stainless steel CS656GBS1B



Included accessories

1 x grid, 1 x universal pan, 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S

Optional accessories

HZ915003	Glass roasting dish, 5,4 L
HZ6FCC0	Cookbook
HZ66X600	Decor list
HZ664000	Baking and roasting grid (steam)
HZ638D18	1 telescopic rail, full ext, 45cm, steam
HZ636000	Glass pan
HZ631070	Baking tray, anthracite enamelled
HZ625071	Grill tray, anthracite enamelled
HZ531010	Baking tray, non-stick ceramic coated

- ✓ fast preheat: reach the required baking temperature sooner; coolStart: no need to preheat the oven for deep frozen food.
- ✓ The full steam function: making it simple to cook healthy and delicious meals
- ✓ 4D hotAir: flexible choice of shelf.
- ✓ softMove: gentle opening and closing of the oven door.

Features

Technical Data

Color / Material Front : Stainless steel
 Built-in / Free-standing : Built-in
 Door opening : Drop down
 Required niche size for installation (HxWxD) : 450-455 x 560-568 x 550
 Dimensions of the product (mm) : 455 x 594 x 548
 Dimensions of the packed product (HxWxD) (mm) : 520 x 660 x 690
 Control Panel Material : Stainless steel
 Door Material : Glass
 Net weight (kg) : 33.549
 Approval certificates : CE, VDE
 Length electrical supply cord (cm) : 150
 EAN code : 4242003671429
 Current (A) : 16
 Voltage (V) : 220-240
 Frequency (Hz) : 60; 50
 Plug type : no plug
 Approval certificates : CE, VDE
 Number of cavities (2010/30/EC) : 1
 Usable volume (of cavity) - NEW (2010/30/EC) : 47
 Energy efficiency class (2010/30/EC) : A+
 Energy consumption per cycle conventional (2010/30/EC) : 0.73
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.61
 Energy efficiency index (2010/30/EC) : 81.3



4 242003 671429

iQ700, Built-in compact oven with steam function, Stainless steel CS656GBS1B

Features

Design

- Cavity inner surface: Enamel anthracite
- 3.7" TFT touchDisplay
- EcoCleanDirect : ceiling, back panel, side liners
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- Electronic oven clock timer
- LED light, Light on/off when door opened/closed
- Tank empty indicator
- Integral cooling fan

Programmes/functions

- Compact steam oven with 13 main functions heating methods: 4D hot air, hotairGentle, conventional, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza Setting, coolStart, bottom heat, low temperature cooking, keep warm, plate warming
- Additional heating methods with steam: steam, reheating, Dough proving, defrost
- Additional functions: Descaling programme Drying function autom. boiling point detection
- Fast pre-heat
- ecoClean programme
- cookControl Plus

Technical information

- Cavity volume: 47 litre capacity
- 1 l Water tank capacity:
- Location of water tank: Outside cavity
- Temperature range 30 °C - 250 °C
- 150 cm Cable Cable length
- Appliance dimension (hwxwd): 455 mm x 594 mm x 548 mm
- Please refer to the dimensions provided in the installation manual

Accessories


- 1 x universal pan, 1 x grid, 1 x steam container, punched, size XL, 1 x steam container, punched, size S, 1 x steam container, unpunched, size S

iQ700, Built-in compact oven with steam function, Stainless steel CS656GBS1B

Dimensioned drawings

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm



Installation with a hob.

