

Serie | 4, telescopic cooker hood, 60 cm, Silver metallic DFS067A50B

B



Telescopic cooker hoods extend when in use and slide neatly away when not in operation.

- **Extra silent:** the high-performance hood, with minimal noise.
- **Grease filtration level:** filters out over 85% of the grease from kitchen air.
- **EcoSilence Drive™:** the powerful, energy-saving drive for hoods.
- **LED illumination:** The energy-saving lighting provides bright and clear lighting for the hob area.
- **Intensive speed setting:** removes strong kitchen odours quickly and effectively.

Technical Data

Typology : Pull-out
 Approval certificates : CE, VDE
 Length electrical supply cord : 175 cm
 Required niche size for installation (HxWxD) : 385mm x 524.0mm x 290mm mm
 Minimum distance above an electric hob : 430 mm
 Minimum distance above a gas hob : 650 mm
 Net weight : 10.7 kg
 Type of control : Electronic
 Maximum output air extraction : 391 m³/h
 Boost position output recirculating : 496 m³/h
 Maximum output recirculating air : 358 m³/h
 Boost position air extraction : 739 m³/h
 Number of lights : 2
 Noise level : 54 dB(A) re 1 pW
 Diameter of air outlet : 150 / 120 mm
 Grease filter material : Washable aluminium
 EAN code : 4242002918327
 Connection Rating : 146 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 60; 50 Hz
 Plug type : GB plug
 Installation typology : Built-in

Optional accessories

DSZ4561 : Standard odor filter (replacement)
 DSZ4565 : Standard recirculation kit
 DSZ4660 : Lowering frame
 DWZ0IT0P0 : Long Life odor filter (replacement)
 DWZ1IT1D1 : Long Life recirculation kit external
 DWZ1IX1C6 : Clean Air Plus recirc. kit external



**Serie | 4, telescopic cooker hood, 60 cm,
Silver metallic
DFS067A50B**

**Telescopic cooker hoods extend when in use
and slide neatly away when not in operation.**

Key Information

- Electronic control
- Electronic control via Soft touch button control
- Efficient BLDC technology

Design

- 60 cm wide
- Silver metallic lacquer
- Telescopic hood
- Handle strip specification: stainless steel without logo
- For installation into a 60cm wide cupboard

Features

- Soft touch button control with Electronic display
- 3 power levels & intensive setting
- Automatic intensive revert (6mins)
- Automatic after running (10 min)
- Pyramid filter
- 2 x LED lights
- Neutral white lights
- 2 metal grease filter cassettes
- Removable metal grease filters


Performance/technical information

- Installation system: Telescopic comfort installat.
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 \varnothing 15 cm:
max. Normal use 391 m³/h
Intensive 739 m³/h
- Extraction rate exhaust air according to EN 61591:
max. normal use 391 m³/h, intensive 739 m³/h
- Power rating: 146 W
- Noise level according to EN 60704-3 and EN 60704-2-13
exhaust air:
Max. normal use: 54 dB(A) re 1 pW
Intensive: 68 dB(A) re 1 pW
- Noise max. Normal Level: 54 dB*
- With the Clean Air Plus recirculation kit (available as optional
accessory) your appliances reaches:
Extraction rate in recirculation mode:
Max. normal use: 358 m³/h
Intensive: 496 m³/h
Noise level in recirculation mode:
Max. normal use: 60 dB(A) re 1 pW
Intensive: 67 dB(A) re 1 pW
- Average Energy Consumption: 38.8 kWh/year*
- Energy Efficiency Class: B (at a range of energy efficiency
classes from A+++ to D)
- Blower Efficiency Class: A*
- Lighting Efficiency Class: A*
- Grease Filtering Efficiency Class: B*
- Dimensions (HxWxD): 426 x 598 x 290 mm
- Dimensions exhaust air (HxWxD): 426-426 x 598 x 290 mm
- Dimensions recirculating (HxWxD): 426-426 x 598 x 290 mm
- Diameter pipe \varnothing 150 mm (\varnothing 120 mm enclosed)
- Light Intensity: 740 lux
- Colour Temperature: 3500 K


Accessories

- For recirculated extraction recirculating kit or CleanAir
recirculating kit (accessory) needed


**Serie | 4, telescopic cooker hood, 60 cm,
Silver metallic
DFS067A50B**




measurements in mm




measurements in mm




measurements in mm



measurements in mm



measurements in mm



measurements in mm

**Serie | 4, telescopic cooker hood, 60 cm,
Silver metallic
DFS067A50B**

