

**island cooker hood, 90 cm, clear glass
DIA09E751B**

Technical Data

Color chimney :	Stainless steel
Typology :	Chimney
Approval certificates :	CE, VDE
Length electrical supply cord (cm) :	130
Height of the chimney (mm) :	692-872/692-992
Height of product, without chimney (mm) :	52
Minimum distance above an electric hob :	550
Minimum distance above a gas hob :	650
Net weight (kg) :	33.757
Type of control :	Electronic
Maximum output air extraction (m ³ /h) :	410
Boost position output recirculating (m ³ /h) :	360
Maximum output recirculating air (m ³ /h) :	280
Boost position air extraction (m ³ /h) :	690
Number of lights :	4
Noise level (dB(A) re 1 pW) :	56
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable aluminium
EAN code :	4242002643861
Connection Rating (W) :	260
Voltage (V) :	220-240
Frequency (Hz) :	50
Plug type :	GB plug
Installation typology :	Island

Optional accessories

- DHZ1230 : Adapter for roof inclination left/right
- DHZ1240 : Adapter for roof inclination front/back
- DHZ1245 : Chimney extension 1100 mm
- DHZ1255 : Chimney extension 1600 mm
- DHZ5326 : Active carbon filter
- DHZ5365 : Recirculating kit
- DSZ5201 : CleanAir active carbon filter spare part
- DSZ6220 : CleanAir Recirculation Kit



island cooker hood, 90 cm, clear glass DIA09E751B

Key Information

- Electronic control
- Electronic power level display

Design

- 90 cm wide
- Designed for ceiling mounted installation
- Height adjustable chimney sections
- Brushed steel

Features

- Soft touch button control for extractor speeds and light
- 3 power levels & intensive setting
- Automatic intensive revert
- 4 x 20W low energy halogen lights
- 2 metal grease filter cassettes

Performance/technical information

- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15 cm:
max. Normal use 420 m³/h
Intensive 690 m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13
exhaust air:
Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure)
Intensive: 69 dB(A) re 1 pW (55 dB(A) re 20 µPa sound pressure)
- Extractor hose 120mm

Optional accessories

- Recirculating kit DHZ5365

island cooker hood, 90 cm, clear glass DIA09E751B

