



BOSCH

**Serie | 6, ceiling cooker hood, 100 cm, Stainless steel
DID106T50**



Optional accessories

DSZ500P	Long Life odor filter (replacement)
DHZ5418	cable guidance frame



Suspended ceiling hood: in recirculation mode.

- **LED Illumination:** The energy-saving lighting provides bright and clear lighting for the hob area.
- **Intensive speed setting:** removes strong kitchen odours quickly and effectively.
- **Intensive speed setting with reset:** automatically resets the hood to normal speed setting
- **Dishwasher safe aluminum mesh filters**

Technical Data

Typology:Island/Ceiling
Length electrical supply cord:0.0 cm
Minimum distance above an electric hob:600 mm
Minimum distance above a gas hob:900 mm
Net weight:27.3 kg
Type of control:Electronic
Number of speed settings:3-stages + intensive setting
Boost position output recirculating:850.0 m ³ /h
Max. air recirculation:780 m ³ /h
Number of lights:2
Diameter of air outlet:150 mm
Grease filter material:Washable aluminium
EAN code:4242002909028
Connection rating:192 W
Fuse protection:16 A
Voltage:220-240 V
Frequency:50 Hz
Plug type:no plug (electrical connection by electrician)
Installation typology:Built-in
Delay Shut off modes:30 min



4 242002 909028

**Serie | 6, ceiling cooker hood, 100 cm, Stainless steel
DID106T50**

Suspended ceiling hood: in recirculation mode.

Key Information

- Electronic control
- Electronic control via Soft touch button control
- Interval operation
- Capacitor motor

Design

- 100 cm wide
- Brushed steel
- Designed for ceiling mounted installation

Features

- Soft touch button control with Electronic display
- 3 power levels & intensive setting
- Automatic intensive revert (6mins)
- Automatic after running (30 min)
- Rim ventilation
- 2 x 6W LED
- Dimmer function
- Neutral white lights
- 2 metal grease filter cassettes
- Filter cover stainless steel, Removable metal grease filters
- Saturation indicator for metal and charcoal filter
- Filter saturation indicator

Performance/technical information

- Suitable for recirculated extraction
- Power rating: 192 W
- Dimensions recirculating (HxWxD): 243-243 x 1000 x 700 mm
- Light Intensity: 345 lux
- Colour Temperature: 4000 K


Accessories

- For recirculated extraction charcoal filter (accessory) needed




BOSCH

**Serie | 6, ceiling cooker hood, 100
cm, Stainless steel
DID106T50**



measurements in mm



* from upper edge of
pan support

measurements in mm