

**Serie | 8, island cooker hood, 37 cm,
Black
DII31RV60**



Optional accessories

DZZ0XX0P0 : Long Life odor filter (replacement)

DZZ1XX1B6 : Clean Air Plus odor filter (replacement)

**Cube design hood: this hood is a perfect
design highlight for any kitchen**

- **Home Connect:** hoods with smart connectivity including voice control for an easier everyday life.
- **Intensive speed setting:** removes strong kitchen odours quickly and effectively.

Technical Data

Typology :	Chimney
Approval certificates :	CE, Eurasian, VDE
Length electrical supply cord (cm) :	140
Height of product, without chimney (mm) :	501
Minimum distance above an electric hob :	550
Net weight (kg) :	24.480
Type of control :	Electronic
Number of speed settings :	3-stage + 2 intensive
Boost position output recirculating (m3/h) :	511.0
Number of lights :	4
Grease filter material :	Washable aluminium
EAN code :	4242002946498
Connection Rating (W) :	272
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	no plug
Installation typology :	Island



4 242002 946498

Serie | 8, island cooker hood, 37 cm, Black DII31RV60

Cube design hood: this hood is a perfect design highlight for any kitchen

Key performance features:

- Extraction rate in recirculation mode: Max. normal use: 392 m³/h Intensive: 511 m³/h

Features

Home Connect: Remote Monitoring and Control

- PerfectAir sensor
- Hob based hood control
- TouchControl with Electronic display
- Electronic display
- 3 power levels and 2 intensive settings
- 4 x 3W LED light
- Colour Temperature: 3500 K
- Dimmer function
- Efficient BLDC-technology
- Automatic run on duration 1-9 min
- Automatic intensive revert (6mins)
- 1 metal grease filter cassette
- Saturation indicator for metal and charcoal filter
- Additional noise reduction insulation
- Clean Air charcoal filter included

Design

- TouchControl, Control wheel
- Electronic control

Performance/technical information

- Installation with gas hob not recommended
- Suitable for recirculated extraction
- Cable fixture for cube incl. ceiling mounting plate, easy installation only 4 screws, cable fixture length adjustable (20cm - 100cm)
- Noise levels in recirculation mode: Max. normal use: 69 dB(A) re 1 pW Intensive: 74 dB(A) re 1 pW
- Power rating: 272 W
- Light Intensity: 962 lux
- Electrical cable length 1.4 m
- Dimensions recirculating (HxWxD): 501-501 x 370 x 377 mm

Optional accessories

- Recirculating kit DSZ5201

** In accordance with the EU-Regulation No 65/2014*

Serie | 8, island cooker hood, 37 cm, Black DII31RV60

