


iQ500, induction hob, 60 cm,  
ED651FSB1E



Induction hob with innovative features that enable highly flexible cooking in any situation.

- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost function.
- ✓ Safely shuts off the cooking zone - Timer with switch-off function.

Features

Technical Data

Product name/family : Cooking zone ceramic  
Construction type : Built-in  
Energy input : Electric  
Total number of positions that can be used at the same time : 4  
Required niche size for installation (HxWxD) : 51 x 560-560 x 490-500  
Appliance Width (mm) : 592  
Dimensions of the product (mm) : 51 x 592 x 522  
Dimensions of the packed product (HxWxD) (mm) : 126 x 753 x 603  
Net weight (kg) : 12.411  
Gross weight (kg) : 13.6  
Residual heat indicator : Separate  
Location of control panel : right  
Basic surface material : Ceramic  
Color of surface : Black  
Approval certificates : AENOR, CE  
Length electrical supply cord (cm) : 110  
EAN code : 4242003715925  
Electrical connection rating (W) : 6900  
Voltage (V) : 220-240  
Frequency (Hz) : 50; 60

Optional accessories

HZ9SE030 Set of 2 pots and 1 pan



## iQ500, induction hob, 60 cm, ED651FSB1E

### Features

#### Control:

- touchSlider control

#### Special features

- combiZone
- 4 induction cooking zones
- reStart function
- Timer for all zones Acoustic Signal
- 17 power levels
- Power boost setting
- Energy Consumption Display

#### Safety Features

- Automatic pan recognition Automatic safety switch off Control panel lock Control panel pause
- 2 stage residual heat indicators
- Main on/off switch

#### Power and size:





- Cooking zones: 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction

#### Technical information

- Installation measurements: 560 mmx490 mm
- Min. worktop thickness: 16 mm
- Connected load: 6.9 KW
- Connection cable 110 cm
- Cable included in packaging

## iQ500, induction hob, 60 cm, ED651FSB1E

### Dimensioned drawings



- A:** Minimum distance from the hob cut-out to the wall.
- B:** Recessed depth
- C:** With fitted oven underneath min. 30, possibly more; see space requirements for the oven.