


## IQ700, Gas hob, 60 cm, Ceramic, Black ER6A6PD70



Optional accessories	
HZ298105	Simmer plate
HZ298114	Small pot support

Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology – Precise flame control with nine different settings.
- ✓ The 7-segment display informs about the chosen power level.
- ✓ Dishwasher-proof pan supports – Cut the time you spend cleaning the hob.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Biomethane ready – Power your gas hob with renewable biomethane gas.

### Features

Technical Data	
Product name/family:	gas hob w integrated controls
Built-in / Free-standing:	Built-in
Energy input:	Gas
Number of cooking zones:	4
Type of control setting devices:	sword knobs
Min. required niche size for installation (HxWxD):	45 x 560-562 x 490-502 mm
Width of the appliance:	602 mm
Dimensions:	47 x 602 x 520 mm
Dimensions of the packed product (HxWxD):	165 x 677 x 579 mm
Weight:	11.3 kg
Gross weight:	12.5 kg
Residual heat indicator:	Separate
Location of control panel:	Front
Basic surface material:	Ceramic
Color of surface:	Black, Alu, brushed
Color of frame:	Black
Length electrical supply cord:	100.0 cm
EAN code:	4242003742754
Gas connection rating:	7700 W
Fuse protection:	3 A
Nominal power:	220-240 V
Frequency:	60; 50 Hz



## IQ700, Gas hob, 60 cm, Ceramic, Black ER6A6PD70

### Features

#### Design

- ceramic glass surface, black
- Facette front, rear and side profiles, aluminium, brushed
- Cast iron pan supports
- Low profile burner: elegant burner design

#### Usage convenience

- Step Flame technology - 9 steps: precisely control and adjust the flame in nine defined levels.
- Electronic power level display: see the selected power level and the residual heat.
- Pan supports dishwasher safe: clean without effort in the dishwasher.
- Design co-ordinated control dials: easily access dials in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the dials to ignite the flame.

#### Burners and power

- 4 burner gas hob including:
- Left front: Standard burner up to 1.9 KW (depending on gas type)
- Left rear: Economy burner up to 1.1 KW (depending on gas type)
- Right rear: High-speed burner up to 2.8 KW (depending on gas type)
- Right front: Standard burner up to 1.9 KW (depending on gas type)

#### Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.
- 4 Burner: indicates which burner parts and pan supports are still hot.

#### Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Factory set for connection to mains gas
- Nozzle set for LPG jets (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 47 x 602 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (490 - 502)
- Min. worktop thickness: 30 mm
- Power cord: 1 m
- Connected load: 7.7 KW

**IQ700, Gas hob, 60 cm, Ceramic,  
Black  
ER6A6PD70**

Dimensioned drawings

