


## iQ700, induction hob, 60 cm, Black EX675BEB1E



Induction hob with innovative features that enable highly flexible cooking in any situation.

- ✓ flexInduction adapts the cooking zones to different cookware and pots up to 24 cm diameter – for more flexibility.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost function.
- ✓ Safely shuts off the cooking zone - Timer with switch-off function.

### Features

#### Technical Data

Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 4  
 Required niche size for installation (HxWxD) : 51 x 560-560 x 490-500  
 Width of the appliance : 602  
 Dimensions : 51 x 602 x 520  
 Dimensions of the packed product (HxWxD) (mm) : 126 x 753 x 608  
 Net weight (kg) : 13.971  
 Gross weight (kg) : 15.2  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Basic surface material : Ceramic  
 Color of surface : Black  
 Approval certificates : AENOR, CE  
 Length electrical supply cord (cm) : 110  
 EAN code : 4242003830413  
 Electrical connection rating (W) : 7400  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50-60

### Optional accessories

HZ394301	Connecting strip
HZ390522	Griddle Plate
HZ390512	Teppan Yaki (large)
HZ390230	System pan diameter 21cm
HZ390012	Steaming Rack for Stainless Steel roaste
HZ390011	Stainless Steel roaster with glas lid



4 242003 830413

## iQ700, induction hob, 60 cm, Black EX675BEB1E

### Features

#### Control

- TouchControl

#### Special features

- flexInduction zone
- <10711brandlookup> Can be used as 2 single induction zones of 380cm<sup>2</sup> or 1 flexible induction zone of 960cm<sup>2</sup>
- 4 induction cooking zones
- reStart function
- Timer for all zones
- Acoustic Signal
- 
- 17 power levels
- Power boost setting

#### Safety Features

- Automatic pan recognition
- Automatic safety switch off
- Control panel lock
- 
- 2 stage residual heat indicators
- Main on/off switch

#### Power and size

- Cooking zones: 1 x Ø400 mmx240 mm,3.3 KW(max. Power levels3.7 KW) Induction or 2 x Ø 190 mm,2.2 KW(max. Powerlevels3.7 KW) Induction; 1 x Ø145 mm,1.4 KW(max. Power levels2.2 KW) Induction;1 x Ø210 mm,2.2 KW(max. Power levels3.7 KW) Induction

#### Technical information

- Installation measurements:560 mmx490 mm
- Min. worktop thickness:20 mm
- Connected load:7.4 KW
- Connection cable110 cm
- Cable included in packaging

**iQ700, induction hob, 60 cm, Black  
EX675BEB1E**

Dimensioned drawings

