

IQ500, free-standing freezer, 186 x 60 cm, Brushed steel anti-fingerprint GS36NAI3P



A++



Innovative noFrost technology freezer, no need to defrost again, with softStart LED lighting and easy access open shelves, groceries couldn't be more simpler to store.

- ✓ noFrost – Never defrost your freezer again.
- ✓ The IceTwister for ice cubes on demand. Easy to refill.
- ✓ varioZone – easily arrange drawers and glass shelves to bring flexibility to your freezer space.
- ✓ MultiAirflow – Minimal temperature fluctuations for reduced cooling times and longer freshness.
- ✓ Electronic temperature control: set the target temperature clearly and easily.

Features

Technical Data

Thermometer freeze section: Digital
 Light: Yes
 Product category: Upright freezer
 Built-in / Free-standing: Freestanding
 Door panel options: Not possible
 Frost free system: Fridge and freezer
 Height of the appliance: 1860 mm
 Width of the appliance: 600 mm
 Dimensions: 650 mm
 Dimensions of the packed product (HxWxD): . 1900 x 650 x 740 mm
 Weight: 76.1 kg
 Gross weight: 78.0 kg
 Connection Rating: 90 W
 Fuse protection: 10 A
 Frequency: 50 Hz
 Length electrical supply cord: 230.0 cm
 Door hinge: Right reversible
 Color / Material body: Chrome
 Inox-metallic
 Defrost process: Automatic
 Warning signal / malfunction: Both visual and audible
 Door lock: No
 Number of drawers/baskets (Stck): 4
 Number of freezing flaps (Stck): 0
 EAN code: 4242003817834
 Brand: Siemens
 Product name / Commercial code: GS36NAI3P
 Product category: Upright freezer
 Included accessories: 2 x cold accumulator



Included accessories	
2 x cold accumulator	
Optional accessories	
KS39ZAL00	Connection set inox

**IQ500, free-standing freezer, 186
x 60 cm, Brushed steel
anti-fingerprint
GS36NAI3P**

Features

Performance and Consumption

- Energy consumption: 237 kWh kWh/yr.
- Total net capacity: 242 litres
- Noise level dB(A) re 1 pW: 42

Design features

- Stainless Steel anti-fingerprint doors and chrome inox metallic side panels
- stainless steel Vertical door handle
- Right hinged door, reversible door
- Electronic control (LED display)
- Interior design with metal applications

Food freshness system

- multiAirflow cooling - improves circulation of air around the fridge

Key features - Freezer section

- No Frost, never have to defrost ever again
- Bright interior LED freezer light
- SuperFreeze functions with automatic deactivation
- 4 transparent freezer drawers, 2 bigbox
- Easy Access open shelving zone - store and access food easily with our conveniently open freezer shelves
- Twist Ice Box removable
- 4 star freezer rating
- Vario Zone - removable safety glass shelves for extra space!
- Freezing capacity in 24 hours: 20 kg
- Maximum freezer storage time in power failure: 25 hours
- Freezer malfunction warning signal: Optical and acoustic malfunction alarm system

Included accessories

- cold accumulator

Dimension and installation

- Height adjustable front feet
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- 220 - 240 V
- Dimensions: 186 cm H x 60 cm W x 65 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.



IQ500, free-standing freezer, 186 x 60 cm, Brushed steel anti-fingerprint GS36NAI3P

Dimensioned drawings

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

- a Height
- b Width
- c Depth with closed door w/o handle and w/o distance part
- d Depth of cabinet w/o distance part
- e Width with open door w/o handle
- f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm