

iQ500, Built-in oven, 60 x 60 cm,  
Stainless steel  
HB43AB521B



Included accessories

1 x insert grid, 1 x combination grid, 1 x universal pan

Optional accessories

HZ336000 Glass pan, HZ338250 2 level telescopic shelf rails, HZ338352 3 level telescopic shelf rails, HZ338357 3 level telescopic shelf rails, full ext, HZ390010 Stainless steel roaster, HZ915003 Glass roasting dish, 5,4 L, HZ24D300 System steam cooker, HZ317000 Pizza pan, enamelled, HZ324000 Insert wire shelf, HZ325000 Grill tray, HZ327000 Baking stone, HZ331003 Enamel baking tray, HZ331011 Baking tray, anti-adherent, HZ332003 Multipurpose pan, HZ332011 Multipurpose pan, anti-adherent, HZ333001 Lid for professional pan, HZ333003 Professional pan, HZ334000 Wire shelf, HZ336000 Glass pan

60 cm high built-in oven with innovative 3D hotAir Plus for perfect baking results on one, two or three baking sheets simultaneously.

Features

Technical Data

Built-in / Free-standing: ..... Built-in  
Integrated Cleaning system: ..... ecoClean programme  
Dimensions: ..... 595x595x550 mm  
Dimensions of the packed product (HxWxD): ... 660 x 660 x 690 mm  
Control Panel Material: ..... Stainless steel  
Door Material: ..... Glass  
Weight: ..... 36.8 kg  
Usable volume (of cavity) - cavity 1: ..... 66 l  
Heating Types: ..... Hot Air, Conventional heat, Bottom heat, Hot air grilling, Full width variable grill  
Oven control: ..... mechanical  
Length electrical supply cord: ..... 134.5 cm  
EAN code: ..... 4242003586884  
Number of cavities (2010/30/EC): ..... 1  
Energy efficiency rating: ..... A  
Energy consumption per cycle conventional (2010/30/EC): ..... 0.90 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC): 0.82 kWh/cycle  
Energy efficiency index (2010/30/EC): ..... 98.8 %  
Connection Rating: ..... 2990 W  
Fuse protection: ..... 13 A  
Nominal power: ..... 220-240 V  
Frequency: ..... 50; 60 Hz  
Plug type: ..... no plug (electrical connection by electrician)  
Included accessories: ..... 1 x insert grid, 1 x combination grid, 1 x universal pan




iQ500, Built-in oven, 60 x 60 cm,  
Stainless steel  
HB43AB521B

Features	
<p><b>Design</b></p> <ul style="list-style-type: none"><li>• Metal fascia</li><li>• White display with blue indicator lights</li><li>• Standard control dials</li><li>• Bar handle</li><li>• Full width door with side strip design</li><li>• Push buttons</li><li>• Retractable control dial</li><li>• Drop down oven door</li></ul> <p><b>Key Information</b></p> <ul style="list-style-type: none"><li>• Control panel lock</li></ul> <p><b>Features</b></p> <ul style="list-style-type: none"><li>• ecoClean® back, roof and side liners</li><li>• Electronic oven clock timer</li><li>• Automatic on/off programmer</li><li>• 1 interior light, 1 interior light</li><li>• Smooth enamelled oven interior</li><li>• Heat reflective glass</li><li>• 5 shelf positions</li><li>• Full glass inner door Drop down oven door</li><li>• Easy fit shelf support rails</li></ul> <p><b>Programmes/functions</b></p> <ul style="list-style-type: none"><li>• Fast pre-heat</li></ul> <p><b>Performance/technical information</b></p> <ul style="list-style-type: none"><li>• Oven capacity: 67 litre</li><li>• A-20% energy class than the standard value (0.99 kWh) for qualifying for energy class A</li></ul> <p><b>Standard accessories</b></p> <ul style="list-style-type: none"><li>• Full width enamelled pan</li><li>• 2 wire shelves</li><li>• Oven cook book</li></ul> <p><b>Accessories</b></p> <ul style="list-style-type: none"><li>• 1 x combination grid, 1 x universal pan, 1 x insert grid</li><li>• 3 level telescopic rails with stop function - HZ338357</li><li>• Cavity volume: 66 l</li><li>• Energy efficiency rating (acc. EU Nr. 65/2014): A Energy consumption per cycle in conventional mode: 98.8 kwh Energy consumption per cycle in fan-forced convection mode: 0.82 kwh</li><li>Number of cavities: 1 Cavity volume: 66 l</li></ul>	

**iQ500, Built-in oven, 60 x 60 cm,  
Stainless steel  
HB43AB521B**

## Dimensioned drawings



\* 20 mm for metal fascias

Measurements in mm