

Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG656RS1B



Included accessories

2 x combination grid, 1 x universal pan

Optional accessories

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ634000 Baking and roasting grid, HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638200 2 level telescopic shelf rails, full ext, HEZ638300 3 level telescopic rails, full ext, HEZ660050 Cover Strip, HEZ915003 Glass roasting dish, 5,4 L

The built-in oven with PerfectBake and PerfectRoast: you get perfect baking and roasting results – automatically.

- **PerfectRoast:** precise measurement of core temperature for a perfect roast.
- **4D Hot Air:** even heat distribution for perfect results – on up to four levels simultaneously
- **BoschAssist:** automatic setting heat, temperature and time for countless dishes.
- **TFT touchscreen control:** easy-to-use thanks to the control ring with full text and images.
- **EcoClean Direct:** almost no cleaning is necessary.

Technical Data

Built-in / Free-standing: Built-in
Integrated Cleaning system: ..EcoClean Direct programme, Hydrolytic
Required niche size for installation (HxWxD):585-595 x 560-568 x 550 mm
Dimensions: 595x594x548 mm
Dimensions of the packed product (HxWxD): 670 x 670 x 680 mm
Control Panel Material: Stainless steel
Door Material: Glass
Net weight:36.3 kg
Usable volume (of cavity) - cavity 1:71 l
Cooking method: 4D Hotair, Defrost, Full width grill, Hot Air-Eco, Half width grill, Conventional heat, Conventional heat ECO, Pizza setting, low temperature cooking, Bottom heat, Hot air grilling, pre-heating, warming
Oven control: electronic
Length electrical supply cord: 120.0 cm
EAN code:4242002807911
Number of cavities (2010/30/EC): 1
Energy efficiency rating:A+
Energy consumption per cycle conventional (2010/30/EC):0.87 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC):69 kWh/cycle
Energy efficiency index (2010/30/EC):81.2 %
Connection rating: 3600 W
Fuse protection:16 A
Voltage: 220-240 V
Frequency: 60; 50 Hz
Plug type: no plug (electrical connection by electrician)
Included accessories:2 x combination grid, 1 x universal pan



Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG656RS1B

**The built-in oven with PerfectBake and
PerfectRoast: you get perfect baking and
roasting results – automatically.**

consumption per cycle in fan-forced convection mode: 0.69 kwh
Number of cavities: 1 Cavity volume: 71 litre capacity

Standard accessories

- 1 level telescopic shelf, full extension, Stop function
- 1 x universal pan, 2 x combination grid

Key Information

- 3x 2,5"-TFT colour and graphics display with direct touch function
- Drop down door, SoftClose, SoftOpen
- Digital temperature display with proposal Actual temperature display Heating-up indicator Sabbath setting
- BoschAssist
- EcoCleanDirect : ceiling, back panel, side liners
- Pyrolytic proof baking tray
- PerfectBake sensor PerfectRoast meatprobe

Design

- Bosch control wheel
- Straight bar handle

Features


- Electronic clock timer
- Main on/off switch
- 1 interior light
- Interior halogen light, Light on/off when oven door opened/closed
- Light on/off when oven door opened/closed
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- Cavity inner surface: Enamel anthracite
- Smooth enamelled oven interior
- 5 shelf positions
- Full glass inner door
- Info button

Programmes/functions


- Oven with 13 cooking functions heating methods: 4D Hotair, Hotair Gentle, conventional top and bottom heat, conventional heat Gentle, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, keep warm
- Fast pre-heating function

Performance/technical information

- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litre capacity
- Integral cooling fan
- Stainless-steel fan
- 120 cm Cable length
- Total connected load electric: 3.6 KW
- Appliance dimension (h x w x d): 595 mm x 594 mm x 548 mm
- Niche dimension (h x w x d): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual
- Maximum window temperature 40° C
- Energy efficiency rating (acc. EU Nr. 65/2014): A+ Energy consumption per cycle in conventional mode: 81.2 Energy



measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

