

### Series 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HRG6769S6B













2 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid, HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L

# The built-in oven with PerfectBake, PerfectRoast and added steam: automatically prepares your dishes so they're perfect and moist

- PerfectBake: the easy way to perfect baking results.
- PerfectRoast: precise measurement of core temperature for a perfect roast.
- Added Steam: your foods turn out crispy on the outside and juicy on the inside.
- $\hbox{\bf \cdot 4D Hotair}: even \ heat \ distribution \ for \ perfect \ results on \ any \ level. \\$
- TFT touchdisplay: clearly shows text and images, for easy and intuitive oven control.

Built-in / Free-standing:
Integrated Cleaning system: Pyrolytic+Hydrolytic
Min. required niche size for installation (HxWxD): 585-595 x 560-568
x 550 mm
Dimensions:
Dimensions of the packed product (HxWxD): 675 x 660 x 690 mm
Control Panel Material: Stainless steel
Door Material:
Net weight:45.6 kg
Usable volume (of cavity) - cavity 1:71 l
Cooking method: Regeneration, 4D Hotair, Defrost, Dehydrate, Full
width grill, Hot Air-Eco, Intensive heat, Half width grill, Conventional
heat, Conventional heat ECO, Pizza setting, low temperature
cooking, Bottom heat, Hot air grilling, pre-heating, warming
Oven control: electronic
Number of interior lights:
Length electrical supply cord:120.0 cm
EAN code:
Number of cavities (2010/30/EC): 1
Energy efficiency rating:A
Energy consumption per cycle conventional (2010/30/EC):0.90
kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC):74
kWh/cycle
Energy efficiency index (2010/30/EC):
Connection rating:
Fuse protection:16 A
Voltage:
Frequency: 50; 60 Hz
Plug type:no plug (electrical connection by electrician)
Included accessories:2 $x$ combination grid, 1 $x$ universal pan





# Series 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HRG6769S6B

# The built-in oven with PerfectBake, PerfectRoast and added steam: automatically prepares your dishes so they're perfect and moist

#### Design

- 3x 2,5"-TFT colour and graphics display with direct touch function
- Bosch control wheel
- Straight bar handle
- Drop down door, SoftClose, SoftOpen
- 5 shelf positions

#### Features

- Electronic door lock
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- Digital temperature display with proposal
- Actual temperature display Heating-up indicator meat probe
- Home Connect ready
- BoschAssist
- PerfectBake sensor
- PerfectRoast meatprobe
- Electronic clock timer
- LED-Elongated light, LED light, Light on/off when oven door opened/closed
- Integral cooling fan
- Water tank empty indicator

#### Cleaning

- Pyrolytic self-cleaning function
- Full glass inner door

### Programmes/functions

- Additional functions:
- Descaling programme
- Drying function
- Additional heating methods with steam: reheating with steam, Dough proving
- Fast pre-heating function

### **Accessories**

- 3 level telescopic shelf rails, full extension, Stop function, pyrolitic proof
- 2 x combination grid, 1 x universal pan


### Performance/technical information


- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode:0.9 kWh
- Energy consumption per cycle in fan-forced convection mode:0.74 kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume:71 litre capacity
- Temperature range 30 °C 275 °C

- 120 cm Cable length
- 1 l Water tank
- Location of water tank: Outside cavity
- Total connected load electric: 3.6 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x
- Please refer to the dimensions provided in the installation manual



# Series 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HRG6769S6B





If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness		
	fitted	flush	
Induction hob	37 mm	38 mm	
Full surface Induction hob	47 mm	48 mm	
Gas hob	30 mm	38 mm	
Electric hob	27 mm	30 mm	

