

## iQ700, Built-in oven with steam function, Stainless steel HS658GES6B



### Included accessories

1 x enamel baking tray, 1 x grid, 1 x universal pan, 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S

### Optional accessories

HZ915003	Glass roasting dish, 5,4 L
HZ6CFH0	Cookbook
HZ664000	Baking and roasting grid (steam)
HZ638D30	3 level telescopic rails, full ext, steam
HZ638D10	1 level telescopic rail, full ext, steam
HZ636000	Glass pan
HZ631070	Baking tray, anthracite enamelled
HZ625071	Grill tray, anthracite enamelled
HZ531010	Baking tray, non-stick ceramic coated

The oven with fullSteam function and sensors for optimum results.

- ✓ pulseSteam: for crispy crusts and juicy roasts.
- ✓ TFT Touchdisplay Plus: clear text display and intuitive operation.
- ✓ roastingSensor Plus and bakingSensor: detect the exact moment when your food is done.
- ✓ ecoClean Plus: effortless cleaning thanks to a special coating.
- ✓ Home Connect: Allows access and control your oven, no matter where you are - with the easy-to-use Home Connect App

### Features

#### Technical Data

Color / Material Front : Stainless steel  
 Built-in / Free-standing : Built-in  
 Door opening : Drop down  
 Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550  
 Dimensions of the product (mm) : 595 x 594 x 548  
 Dimensions of the packed product (HxWxD) (mm) : 670 x 660 x 690  
 Control Panel Material : Stainless steel  
 Door Material : Glass  
 Net weight (kg) : 43.918  
 Approval certificates : CE, VDE  
 Length electrical supply cord (cm) : 120  
 EAN code : 4242003801949  
 Current (A) : 16  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60  
 Plug type : no plug  
 Approval certificates : CE, VDE  
 Number of cavities (2010/30/EC) : 1  
 Usable volume (of cavity) - NEW (2010/30/EC) : 71  
 Energy efficiency class (2010/30/EC) : A+  
 Energy consumption per cycle conventional (2010/30/EC) : 0.87  
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.69  
 Energy efficiency index (2010/30/EC) : 81.2



## iQ700, Built-in oven with steam function, Stainless steel HS658GES6B

### Features

#### Design

- 5.7" TFT touchDisplay Plus
- Full colour display
- Stainless steel control dial
- Cavity inner surface: Enamel anthracite
- softMove: gentle opening and closing of the oven door.
- Drop down oven door, softClose, softOpen
- Bar handle

#### Features

- Automatic temperature proposal
- Actual temperature display
- Heating-up indicator
- Sabbath setting
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- WLAN - Home connect enabled
- cookControl Plus
- roastingSensor Plus
- bakingSensor
- Electronic oven clock timer
- Main on/off switch
- Light on/off when door opened/closed
- 3 interior lights, Multilevel LED Illumination, LED light
- Smooth enamelled oven interior, Removable wire shelf support rails
- 5 shelf positions
- Tank empty indicator
- Integral cooling fan

#### Cleaning

- EcoCleanDirect : side liners, back panel, ceiling
- ecoClean programme
- Full glass inner door

#### Programmes/functions

- 15 heating methods: 4D hot air, hotairGentle, conventional, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza Setting, coolStart, bottom heat, intensive conventional heat, low temperature cooking, keep warm, dehydrate, plate warming
- Additional heating methods with steam: steam, reheating, Dough proving, defrost
- Additional functions:
- Descaling programme
- Drying function
- autom. boiling point detection
- Fast pre-heat

#### Standard accessories




- 1 x enamel baking tray, 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 1 x grid, 1 x universal pan
- Cavity with shelf support rails

#### Technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode: 81.2
- Energy consumption per cycle in fan-forced convection mode: 0.69 kwh
- Number of cavities: 1
- Cavity volume: 71 litres
- 1 l Water tank capacity:
- Temperature range 30 °C - 250 °C
- Location of the steam generator is outside of the cavity
- Total connected load electric: 3.45 KW
- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Min. fuse protection: 16 A
- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

**iQ700, Built-in oven with steam  
function, Stainless steel  
HS658GES6B**

**Dimensioned drawings**



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm