

**Series 4, American side by side,  
178.7 x 90.8 cm, Stainless steel  
(with anti-fingerprint)  
KAN93VIFPG**



**The NoFrost side-by-side fridge-freezer with indoor electronics: provides a modern door display**

- **XXL capacity:** extra space for your food when you need it.
- **LED lighting - with soft start, lasts for the lifetime of the appliance.**
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **IceTwister:** easy to remove and fill - for lots of ice cubes.
- **Super Cooling:** cools new food placed inside faster, thus protecting already cooled food.

**Technical Data**

Energy Efficiency Class: .....	F
Average annual energy consumption in kilowatt hour per year (kWh/a): .....	413 kWh/annum
Sum of volume of frozen compartments: .....	208 l
Sum of volume of chill compartments: .....	372 l
Airborne acoustical noise emissions : .....	42 dB(A) re 1 pW
Airborne acoustical noise emission class: .....	D
Built-in / Free-standing: .....	Free-standing
Door panel options: .....	Not possible
Height: .....	1787 mm
Width of the appliance: .....	908 mm
Depth: .....	707 mm
Net weight: .....	96.4 kg
Connection rating: .....	230 W
Fuse protection: .....	13 A
Door hinge: .....	left and right
Voltage: .....	220-240 V
Frequency: .....	50 Hz
Length electrical supply cord: .....	200.0 cm
Number of compressors: .....	1
Number of independent cooling systems: .....	1
Interior ventilator: .....	No
Reversible Door Hinge: .....	No
Number of Adjustable Shelves in fridge compartment: .....	0
Shelves for Bottles: .....	No
EAN code: .....	4242005185306
Brand: .....	Bosch
Product name / Commercial code: .....	KAN93VIFPG
Frost free system: .....	Fridge
Installation typology: .....	N/A
Included accessories: .....	1 x egg tray



**Series 4, American side by side,  
178.7 x 90.8 cm, Stainless steel  
(with anti-fingerprint)  
KAN93VIFPG**

- Climate Class: SN-T
- EU19\_Fast freezer facility\_D: yes
- Noise Level : 42 dB

**The NoFrost side-by-side fridge-freezer  
with indoor electronics: provides a  
modern door display**

---

**Design features**

- Easy Twist ice box
- Stainless Steel EasyClean doors and grey side panels
- aluminium Vertical door handle
- No Frost
- Automatic defrost fridge
- 1 compressor
- MultiAirflow system - improves circulation of air around the fridge
- Bright interior LED fridge light
- Removable magnetic door seals - easy to clean
- Optical and acoustic door open alarm

**Freshness System**

- VitaFresh plus: keeps food fresh for up to twice as long

**Additional features**

- 5 safety glass shelves in fridge compartment of which 0 are height adjustable
- 2 freezer drawers
- Left hinged, Right hinged door
- Height adjustable front feet

**Functions**

- SuperCool function
- SuperFreezing function with automatic deactivation

**Key features - Fridge section**

- 2 MultiBox drawers on rails - Transparent drawers with a corrugated bottom, ideal for storing fruits and vegetables.
- 3 removable door storage compartments.
- Door shelves in fridge door: 3 large and 2 small
- 3 x egg tray
- Bright interior LED fridge light

**Key features - Freezer section**


- Door trays in freezer door: 5
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.
- Dimensions: 178.7 cm H x 90.8 cm W x 70.7 cm D
- Electronic control for fridge and freezer with LED display

**Performance and Consumption**


- EU19\_EEK\_D: F
- Total Volume : 580 l
- Net Fridge Volume : 372 l
- Net Freezer Volume : 208 l
- Freezing capacity 24h : 12 kg
- Annual Energy Consumption: 413 kWh/a

**Series 4, American side by side,  
178.7 x 90.8 cm, Stainless steel  
(with anti-fingerprint)  
KAN93VIFPG**

Measurements in mm



Measurements in mm



A	a	b
≤ 600	50	50
600 < A ≤ 650	50	50
650 < A ≤ 700	53	96
> 700	277	418

**A:** Kitchen cabinet or worktop depth

**B:** Wall  
Drawers can be pulled out with door open to 90°

Drawers can be taken out with door completely opened

Measurements in mm

