


**IQ700,
HEADER2.Glassdoor_MultiDoor,
183 x 90.5 cm, Black
KF96RSBEA**



The trendy American style / Multi door fridge-freezer has all the storage flexibility you could ever wish for in a cooling appliance including a drawer for your wine and beverages.

- ✓ noFrost – Never defrost your freezer again.
- ✓ The IceTwister for ice cubes on demand. Easy to refill.
- ✓ LED light – Even lighting throughout the inside of your fridge to keep everything in view.
- ✓ The bigBox offers plenty of space to store and stack large frozen items efficiently.
- ✓ superCooling – Reduces the temperature for a set time, to quickly cool down fresh food items.

Features

Technical Data

Energy Efficiency Class:	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	320 kWh/annum
Sum of volume of frozen compartments:	171 l
Sum of volume of chill compartments:	401 l
Airborne acoustical noise emissions :	39 dB(A) re 1 pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Freestanding
Door panel options:	Not possible
Height:	1830 mm
Width of the appliance:	905 mm
Dimensions:	736 mm
Weight:	172.7 kg
Fuse protection:	10 A
Door hinge:	Other
Nominal power:	220-240 V
Frequency:	50-60 Hz
Length electrical supply cord:	240.0 cm
Number of compressors:	2
Number of independent cooling systems:	2
Interior ventilator:	Yes
Reversible Door Hinge:	No
Number of Adjustable Shelves in fridge compartment:	4
Shelves for Bottles:	No
Frost free system:	Fridge
Installation type:	Freestanding



IQ700, HEADER2.Glassdoor_MultiDoor, 183 x 90.5 cm, Black KF96RSBEA

Features

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 572 l
- Net Fridge Volume : 401 l
- Net Freezer Volume : 171 l
- Net 4* compartment volume : 171 l
- Freezing capacity 24h : 14 kg
- Annual Energy Consumption: 320 kWh/a
- Climate Class: SN-T
- Noise Level : 39 dB

Functions

Design features

- Black Gloss doors and cast iron side panels
- Bright interior LED fridge light
- Lightning backwall
- Light position in cooler: Top and backwall and side
- Interior design with metal applications

Design features

- LED display for fridge and freezer
- superCool function with automatic deactivation
- Automatic defrost in fridge section
- Holiday mode
- Acoustic open door warning system, optical
- Freezer malfunction warning signal: optical, acoustical
- multiAirflow cooling - improves circulation of air around the fridge
- AirFresh filter with AntiBacterial filter to neutralise odours and reduce bacteria growth
- Door shelves in fridge door: 2 large and 3 small
- none/0
- 1 dairy compartment in door

Freshness System

- 1 vegetable/salad containers

Food freshness system

- 3 freezer drawers
- Twist ice dispenser in freezer
- EU19_Fast freezer facility_D: yes

Design features

- 5 PC bottle shelves for 0,75 l

Dimension and installation

- Dimensions: 183 cm H x 90.5 cm W x 73.6 cm D

Key features - Fridge section

- 4 wheels for easier transport, 3 of them height adjustable.

Key features - Freezer section


Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.
- 220 - 240 V
- 5 safety glass shelves of which 4 are height adjustable

**IQ700,
HEADER2.Glasdoor_MultiDoor,
183 x 90.5 cm, Black
KF96RSBEA**


Dimensioned drawings

Measurements in mm



A: Front is adjustable from 1830 to 1847 mm, with front levelling feet fully extended


Measurements in mm




A: Front is adjustable from 1830 to 1847 mm, with front levelling feet fully extended

B: Add 25 mm for fixed spacers on back

Measurements in mm



Measurements in mm



A	a	b
≤ 600	0	0
600 < A ≤ 650	50	50
650 < A ≤ 700	65	65
> 700	244	244

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled and taken out with door open to 90°