

**IQ300, free-standing
fridge-freezer with freezer at
bottom, 186 x 60 cm, Brushed
steel anti-fingerprint
KG36VVIEA**



coolEfficiency bottom freezer with hyperFresh Box to keep fruit and vegetables fresh longer, plus lowFrost technology for less defrosting.

- ✓ hyperFresh – The extra-large drawer for your fruit and vegetables.
- ✓ lowFrost – Less frost build-up saves energy and effort when defrosting.
- ✓ LED light – Even lighting throughout the inside of your fridge to keep everything in view.
- ✓ The bigBox offers plenty of space to store and stack large frozen items efficiently.
- ✓ The easyAccess glass shelves make loading easier and give you a better view of your food items.

Energy Efficiency Class: E
 Average annual energy consumption in kilowatt hour per year (kWh/a): 233 kWh/annum
 Sum of volume of frozen compartments: 94 l
 Sum of volume of chill compartments: 214 l
 Airborne acoustical noise emissions : 39 dB(A) re 1pW
 Airborne acoustical noise emission class: C
 Built-in / Free-standing: Freestanding
 Door panel options: Not possible
 Height: 1860 mm
 Width of the appliance: 600 mm
 Dimensions: 650 mm
 Weight: 69.3 kg
 EAN code: 4242003869512
 Fuse protection: 10 A
 Door hinge: Right reversible
 Nominal power: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 240.0 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 2
 Shelves for Bottles: No
 Frost free system: No
 Installation type: Freestanding



KS10Z010	Snackbox
KS10Z030	Bottle Rack

IQ300, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Brushed steel anti-fingerprint KG36VVIEA

Functions

- stainless steel look doors and Pearl grey (VZF 07127) side panels
- Integrated vertical handle Integrated vertical handle
- Bright interior LED fridge light

Design features

- Electronic control (LED chain)
- superFreeze function with automatic deactivation
- Automatic defrost in fridge section

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Door shelves in fridge door: 1 large and 2 small

Freshness System

- 1 hyperFresh box with integrated humidity control

Food freshness system

- lowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, 1 bigBox

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Additional features

Design features


Dimension and installation

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 308 l
- Net Fridge Volume : 214 l
- Net Freezer Volume : 94 l

- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 233 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D: yes
- Noise Level : 39 dB
- Temperature rise time : EU19_Temperature rise time_D: 17 H

**IQ300, free-standing
fridge-freezer with freezer at
bottom, 186 x 60 cm, Brushed
steel anti-fingerprint
KG36VVIEA**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification

- a Height
- b Width
- c Depth with door closed, without handle and without flexible spacing piece
- d Cabinet depth without flexible spacing piece
- e Width with door opened to 90°
- f Depth with door opened, without handle and without flexible spacing piece
- g Depth with door closed, with handle and without flexible spacing piece
- h Depth with door closed, without handle and with flexible spacing piece

measurements in mm