

**Series 6, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White
KGE36AWCA**



The bottom freezer with VitaFresh plus 0 °C Box: especially efficient - keeps your meat and fish fresher for longer

- **VitaFresh:** keeps food fresh for longer in climate-controlled drawers at around 0°C.
- **LED lighting - with soft start, lasts for the lifetime of the appliance.**
- **Big Box drawer:** for stacking storage containers or for large frozen food items.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.

Technical Data

Energy Efficiency Class:	C
Average annual energy consumption in kilowatt hour per year (kWh/a):	149 kWh/annum
Sum of volume of frozen compartments:	94 l
Sum of volume of chill compartments:	214 l
Airborne acoustical noise emissions :	38 dB(A) re 1 pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Free-standing
Door panel options:	Not possible
Height:	1860 mm
Width of the appliance:	600 mm
Depth:	650 mm
Net weight:	68.8 kg
Connection rating:	90 W
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	240.0 cm
Number of compressors:	1
Number of independent cooling systems:	2
Interior ventilator:	Yes
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	Yes
Frost free system:	No
Installation typology:	Free-standing

Optional accessories

KSZ10010	Snackbox
KSZ10030	Bottle Rack



Series 6, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGE36AWCA

The bottom freezer with VitaFresh plus 0° C Box: especially efficient - keeps your meat and fish fresher for longer

Functions

- White doors and white side panels
- Integrated vertical handle
- Bright interior LED fridge light

Design features

- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- Acoustic alarm
- Freezer malfunction warning signal: optical and acoustical warning system
- Holiday mode - saves energy when you're away a longer period of time
- SuperCool function
- Automatic defrost fridge

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Door shelves in fridge door: 1 large and 2 small
- Bottle rack

Freshness System

- Capacity in 0° C section: 22 l
- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, reversible door
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- Connection value 90 W
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray

Country Specific Options


- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- EU19_EEK_D: C
- Total Volume : 308 l
- Net Fridge Volume : 214 l
- Net Freezer Volume : 94 l

- Freezing capacity 24h : 5.5 kg
- Annual Energy Consumption: 149 kWh/a
- Climate Class: SN-T

**Series 6, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
White
KGE36AWCA**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification

a Height
b Width
c Depth with door closed, without handle and without flexible spacing piece
d Cabinet depth without flexible spacing piece
e Width with door opened to 90°
f Depth with door opened, without handle and without flexible spacing piece
g Depth with door closed, with handle and without flexible spacing piece
h Depth with door closed, without handle and with flexible spacing piece

measurements in mm