

**Series 4, free-standing fridge-freezer
with freezer at bottom, 201 x 70 cm,
Brushed steel anti-fingerprint
KGE49VI4AG**



**The bottom freezer with VitaFresh plus
0 °C Box: especially efficient - keeps your
meat and fish fresher for longer**

- **VitaFresh:** keeps food fresh for longer in climate-controlled drawers at around 0°C.
- **LED lighting:** all your items in perfect view.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.

Technical Data

Built-in / Free-standing:	Free-standing
Door panel options:	Not possible
Height:	2010 mm
Width of the appliance:	700 mm
Depth:	650 mm
Net weight:	85.8 kg
EAN code:	4242005101580
Connection rating:	90 W
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	240.0 cm
Number of compressors:	1
Number of independent cooling systems:	2
Interior ventilator:	Yes
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	Yes
Frost free system:	Not applicable
Installation typology:	Free-standing

Optional accessories

KSZ10010 Snackbox



¹ Scale of Energy Efficiency Classes from A to G

Series 4, free-standing fridge-freezer with freezer at bottom, 201 x 70 cm, Brushed steel anti-fingerprint KGE49VI4AG

The bottom freezer with VitaFresh plus 0° C Box: especially efficient - keeps your meat and fish fresher for longer

- Connection value 90 W
- Height adjustable front feet
- Dimensions: 201 cm H x 70 cm W x 65 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- Energy Efficiency Class: A+++
- Total net capacity: 413 litres
- Net fridge capacity: 302 litres
- Net freezer capacity: 111 litres
- Noise level dB(A) re 1 pW: 38

Design features

- Stainless Steel EasyClean doors and Pearl grey (VZF 07127) side panels
- High-door design, Cambered Door
- Electronic control for fridge and freezer with LED display
- Integrated vertical handle Integrated vertical handle
- Right hinged door, reversible door
- Removable magnetic door seals - easy to clean
- Holiday mode - saves energy when you're away a longer period of time
- LowFrost - less ice creation and therefore quicker defrosting

Food freshness system

- Capacity near 0°C section: 28 l
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features - Fridge section

- 1 CrisperBox - vegetable/salad container with humidity control
- Bright interior LED fridge light
- 5 safety glass shelves in fridge compartment of which 2 are height adjustable
- Door shelves in fridge door: 1 large and 3 small
- SuperCool function
- Bottle rack

Key features - Freezer section

- Manual defrost freezer
- Defrost water outlet - for easy and convenient defrosting
- 3 transparent freezer drawers, including 1 BigBox
- 4 star freezer rating
- Freezing capacity in 24 hours: 15 kg
- Maximum freezer storage time in power failure: 44 hours
- Freezer malfunction warning signal: optical and acoustical warning system


Included accessories

- ., 2 x cold accumulator, 3 x egg tray

Dimension and installation

- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)

**Series 4, free-standing fridge-freezer
with freezer at bottom, 201 x 70 cm,
Brushed steel anti-fingerprint
KGE49VI4AG**



Device name	a	b	c	d	e	f	g	h
KGV39/KGE39 (inner handle)	2010	600	650	580	600	1200	650	690
KGV39/KGE39 (outer handle)	2010	600	650	580	640	1200	690	690
KGE49 (inner handle)	2010	700	650	580	700	1300	650	690
KGE49 (outer handle)	2010	700	650	580	740	1300	690	690

Specification

a Height
b Width
c Depth with door closed, without handle and without flexible spacing piece
d Cabinet depth without flexible spacing piece
e Width with door opened to 90°
f Depth with door opened, without handle and without flexible spacing piece
g Depth with door closed, with handle and without flexible spacing piece
h Depth with door closed, without handle and with flexible spacing piece

measurements in mm