# IQ500, built-under fridge, 82 x 60 cm, flat hinge
# KU15RAFF0G

## Included accessories

1 x egg tray

## Optional accessories

| | |
|---|---|
| KF10ZAX0 | Door panel with decor frame |
| KSGGZM00 | Butter box |
| KU20ZSX0 | Attachment door, stainless steel |

## Energy efficient undercounter fridge with handy covered fruit and Fresh Box

- ✓ LED light – Even lighting throughout the inside of your fridge to keep everything in view.
- ✓ safetyGlass shelves – Extra strong and easy to clean.
- ✓ Additional space for fruit and vegetables: they stay crispy in the 2 Fresh Boxes with wavy bottom.

## Features

**Technical Data**

Energy Efficiency Class: ..... F
Average annual energy consumption in kilowatt hour per year (kWh/a): ..... 114 kWh/annum
Sum of volume of frozen compartments: ..... 0 l
Sum of volume of chill compartments: ..... 137 l
Airborne acoustical noise emissions : ..... 38 dB(A) re 1 pW
Airborne acoustical noise emission class: ..... C
Built-in / Free-standing: ..... Built-in
Door panel options: ..... Not possible
Height: ..... 820 mm
Width of the appliance: ..... 588 mm
Dimensions: ..... 548 mm
Min. required niche size for installation (HxWxD): .. 820 x 600 x 550 mm
Weight: ..... 34.0 kg
Connection Rating: ..... 90 W
Fuse protection: ..... 13 A
Door hinge: ..... Right reversible
Nominal power: ..... 220-240 V
Frequency: ..... 50 Hz
Length electrical supply cord: ..... 230.0 cm
Number of compressors: ..... 1
Number of independent cooling systems: ..... 1
Interior ventilator: ..... No
Reversible Door Hinge: ..... Yes
Number of Adjustable Shelves in fridge compartment: ..... 3
Shelves for Bottles: ..... Yes
EAN code: ..... 4242003848838
Brand: ..... Siemens
Product name / Commercial code: ..... KU15RAFF0G
Product category: ..... Upright fridge
Frost free system: ..... No
Installation type: ..... Built under
Included accessories: ..... 1 x egg tray

SIEMENS

# IQ500, built-under fridge, 82 x 60 cm, flat hinge
# KU15RAFF0G

## Features

- Fully integrated

**Functions**
- Ventilation through plinth
- Easy clean interior

**Design features**
- Temperature control dial
- Automatic defrost in fridge section

**Design features**
- 3 safety glass shelves in fridge compartment of which 3 are height adjustable
- 3 removable door storage compartments.
- Bottle holder in x-deep door tray
- Bright interior LED fridge light

**Freshness System**
- 2 vegetable/salad containers

**Key features - Fridge section**
- Height adjustable feet in the front
- Right hinged door, door reversible
- Connection value 90 W
- 220 - 240 V

**Dimension and installation**
- Niche Dimensions: 82 cm H x 60 cm W x 55 cm D
- Dimensions: 82 cm H x 58.8 cm W x 54.8 cm D

**Key features - Feezer section**
- KU15RAFF0G

**Additional features**

**Design features**

**Performance and Consumption**
- EU19_EEK_D: F
- Total Volume : 137 l
- Net Fridge Volume : 137 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 114 kWh/a
- Climate Class: SN-ST
- EU19_Fast freezer facility_D: no
- Noise Level : 38 dB

SIEMENS

# IQ500, built-under fridge, 82 x 60 cm, flat hinge
# KU15RAFF0G

## Dimensioned drawings

measurements in mm
Recommended gap dimensions for flat hinges




| F | R | X |
|---|---|---|
| 16-19 | 0-3 | 2.5 |
| 20 | 0-1 | 3 |
| | 2-3 | 2.5 |
| 21 | 0-1 | 3 |
| | 2-3 | 2.5 |
| 22 | 0 | 4 |
| | 1 | 3.5 |
| | 2-3 | 3 |

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.




**Maximal permissible weight of the unit fronts**

Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges
Weight
**A:** Appliance door height including hinges in mm

**B:** Undamped hinge, unit front in kg

**C:** Damped hinge, unit front in kg

**D:** Additional possible load in kg with heavy load kit

| A | B | C | D |
|---|---|---|---|
| 1500-1750 | 22 | 22 | B+5 / C+5 |
| 720-1400 | 19 | 19 | |
| A1 | 15 | 19 | |
| A2 | 15 | 19 | |




* variable base/substructure height

Space for electrical connection next to the appliance on the left or right-hand side.
Ventilation space in the base.

measurements in mm