

IQ500, Built-in double oven MB535A0S0B



Shorten your cooking time thanks to fast preheat.

- ✓ fast preheat: reach the required cooking temperature sooner.
- ✓ ecoClean Plus: effortless cleaning thanks to a special coating inside the oven that automatically disintegrates dirt and reduces odours significantly.
- ✓ cookControl10: automatic programs ensure best results.
- ✓ lightControl: intuitive operation thanks to the illuminated dial.
- ✓ 3D hotAir Plus – Even heat distribution on up to three levels for excellent results.

Features

Technical Data

Built-in / Free-standing: Built-in
 Integrated Cleaning system: No
 Dimensions: 888x594x550 mm
 Dimensions of the packed product (HxWxD): ... 960 x 660 x 690 mm
 Control Panel Material: Glass
 Door Material: Glass
 Weight: 50.9 kg
 Usable volume (of cavity) - cavity 1: 71 l
 Heating Types: Full width grill, Hotair gentle, Hot Air, Conventional heat, Hot air grilling
 Oven control: mechanical
 EAN code: 4242003803233
 Energy efficiency rating: A
 Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
 Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
 Energy efficiency class (2010/30/EC) - cavity 2: B
 Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 0.83 kWh/cycle
 Energy efficiency index (2010/30/EC): 95.3 %
 Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
 Connection Rating: 6200 W
 Fuse protection: 32 A
 Nominal power: 220-240 V
 Frequency: 50 Hz
 Plug type: no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)
 Included accessories: 3 x combination grid, 1 x universal pan



Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

HZ915003 Glass roasting dish, 5,4 L, HZ327000 Baking stone, HZ32WA00 Wireless food thermometer, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ538000 varioClip rail, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ634000 Baking and roasting grid (standard), HZ638000 Full ext rails, level independent, HZ664000 Baking and roasting grid (steam)

IQ500, Built-in double oven MB535A0S0B

Features

Design

- LCD Display (white)
- Stainless steel control dial, lightControl: intuitive operation thanks to the illuminated dials, round
- Electronic oven clock timer
- Bar handle
- lightControl: intuitive operation thanks to the illuminated dials
- Interior halogen light

Features

- Control panel lock
- Automatic start
- Heating-up indicator cookControl

Top oven additional features

- Full glass inner door
- Cavity volume: 34 l
- EcoClean Direct: ceiling, back panel, side liners
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: bottom

Main oven additional features

- Cavity volume: 71 litres
- EcoCleanDirect : back panel
- Full glass inner door
- cookControl, 10
- Cavity (inner surface) bottom: enamel anthracite
- Door hinge big cavity: Drop down oven door
- 5 shelf positions
- Oven with 4 heating methods: conventional, Large-area grill, Small area grill, bottom heat
- Temperature range 50 °C - 275 °C
- Oven with 5 heating methods: 3D hot air cooking, conventional, hot air grilling, full width grill, Hotair gentle
- Temperature range 50 °C - 275 °C
- fast preheat function

Accessories

- 3 x combination grid, 1 x universal pan
- 1 varioClip rail, Stop function

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.81 kwh
- Number of cavities: Main Cavity Heat source: electrical
- Total connected load electric: 6.2 KW

- Nominal voltage: 220 - 240 V
- Niche dimension (hxwx): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Appliance dimension (hxwx): 888 mm x 594 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

