Series 6, Built-in double oven MBA5350S0B



A*** ∩ A



3 x combination grid, 1 x universal pan

HZ638000 Full ext rails, level independent, HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ634000 Baking and roasting grid, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L, HZ629070 Air Fry & Grill tray

The built-in double oven with AutoPilot: automatically prepares perfect dishes.

- **3D Hotair**: even heat distribution for perfect results on up to three levels.
- AutoPilot 10: every dish is a perfect success thanks to 10 pre-set automatic programmes.
- White LCD display control : easy-to-use thanks to direct access to additional functions.
- **Pop-out controls**: Make the front of the oven easy to clean and give it a sleek look.
- EcoClean Direct: almost no cleaning thanks to a special coating which covers interior walls and roof of the upper oven, the rear wall of the second oven

Built-in / Free-standing: Built-in Integrated Cleaning system: No Dimensions: 888x594x550 mm Dimensions of the packed product (HxWxD): 960 x 660 x 690 mm Control Panel Material: Stainless steel Door Material: Glass Net weight: 50.6 kg Usable volume (of cavity) - cavity 1: 71 L Cooking method: Full width grill, Hotair gentle, Hot Air, Conventional heat, Hot air grilling
Oven control:
Number of interior lights:
EAN code:
Energy efficiency rating:A
Energy consumption per cycle conventional (2010/30/EC): 1.02
kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EQ):81
kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2:B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC)83
kWh/cycle
Energy efficiency index (2010/30/EC):
Energy efficiency index cavity 2 (2010/30/EC):
Connection rating:
Fuse protection:
Voltage:
Frequency:
Plug type: no plug (electrical connection by electrician), fixed
connection (electrical connection by electrician)
Included accessories:3 x combination grid, 1 x universal pan





Series 6, Built-in double oven MBA5350S0B

The built-in double oven with AutoPilot: automatically prepares perfect dishes.

Design

- LCD-display control (white)
- Interior halogen light
- Rotary dial, Retractable control dials, round
- Straight bar handle

Features

- Control panel lock
- Residual heat indicator
- Electronic clock timer
- Automatic start
- Heating-up indicator AutoPilot

Top oven additional features

- Cavity volume: 34 litre capacity
- EcoClean Direct: ceiling, back panel, side liners
- Full glass inner door
- Door hinge small cavity: bottom
- Cavity (inner surface) top: Enamel grey

Top oven

- Oven with 4 heating methods: conventional top/bottom heat,
- Large-area grill, Small area grill, bottom heat
- Temperature range 50 °C 275 °C

Main oven additional features

- Cavity volume: 71 litre capacity
- EcoCleanDirect : back panel
- Door hinge big cavity: Drop down door
- Full glass inner door
- 5 shelf positions
- AutoPilot, 10
- Integral cooling fan

Main oven

- Oven with 5 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, Hotair gentle
- Temperature range 50 °C 275 °C
- Fast pre-heating function

Accessories

- 1 set of level independent telescopic rails, Stop function
- 1 x universal pan, 3 x combination grid

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.81 kwh

- Number of cavities: Main Cavity Heat source: electrical
- Total connected load electric: 5.9 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxd): 875 mm 888 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual



Series 6, Built-in double oven MBA5350S0B

