

**Series 2, Gas hob, 60 cm, Stainless steel
NGU4151DB**



Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

- **Sword knobs:** for an ergonomic control.
- **Surface colour:** elegant stainless-steel design.
- **Low profile stainless steel cooking surface is easily accessible and quick to clean.**
- **The seamless, one-piece stainless steel design makes cleaning Simple.**
- **Four powerful gas burners allow you to cook multiple dishes with a full range BTU performance.**

Technical Data

Product name/family: gas hob w integrated controls
 Built-in / Free-standing: Built-in
 Energy input: Gas
 Number of cooking zones: 4
 Type of control setting devices: sword knobs
 Min. required niche size for installation (HxWxD): 33 x 560-560 x 490-490 mm
 Width of the appliance: 580 mm
 Dimensions: 47 x 580 x 510 mm
 Dimensions of the packed product (HxWxD): 135 x 630 x 630 mm
 Net weight: 8.4 kg
 Gross weight: 9.0 kg
 Residual heat indicator: without
 Location of control panel: Lateral
 Basic surface material: Stainless steel
 Color of surface: Stainless steel
 Length electrical supply cord: 100.0 cm
 EAN code: 4242002531816
 Gas connection rating: 7400 W
 Fuse protection: 3 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz



Series 2, Gas hob, 60 cm, Stainless steel NGU4151DB

Gas hob with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

Design

- 580 mm
- Side controls
- Brushed steel base

Features

- Variable power levels
- Ignition via control dials
- Flame failure safety device
- enamelled pan supports
- 2 piece burners

Performance/technical information

- 4 gas burners
- 1 high speed burner, 2 standard burners and 1 economy burner
- Front left: High-speed burner - 3 KW
- Rear left: Standard burner - 1.7 KW
- Front right: Economy burner - 1 KW
- Rear right: Standard burner - 1.7 KW
- Pre-set for natural gas

Standard accessory

- LPG jets included. Connection to 28-30/37 mbar bottled gas

Series 2, Gas hob, 60 cm, Stainless steel
NGU4151DB

