


## Electric hob, 60 cm, Black, PKF645T14E



### Optional accessories

- HEZ5920 Intermediate bottom, 60 cm (Touch)  
HEZ390090 Wok Set consisting of 3 Items

- **Steel frame:** the flat stainless steel frame around the hob is perfect for integrating into existing countertop cutouts.
- **Timer with switch-off function:** Turns off the assigned cooking zone after the set time.
- **The handy ChildLock locks the control panel to prevent accidental changes in settings.**

### Technical Data

Product name/family: ..... Cooking zone ceramic  
 Built-in / Free-standing: ..... Built-in  
 Energy input: ..... Electric  
 Number of cooking zones: ..... 4  
 Type of control setting devices: ..... TouchControl Basic  
 Min. required niche size for installation (HxWxD): ..... 47 x 560-560 x 490-490 mm  
 Width of the appliance: ..... 575 mm  
 Dimensions: ..... 47 x 575 x 505 mm  
 Dimensions of the packed product (HxWxD): ..... 100 x 750 x 590 mm  
 Net weight: ..... 7.4 kg  
 Gross weight: ..... 8.2 kg  
 Residual heat indicator: ..... Separate  
 Location of control panel: ..... Front  
 Basic surface material: ..... Ceramic glass  
 Color of surface: ..... Black, Stainless steel  
 Color of frame: ..... Stainless steel  
 EAN code: ..... 4242002475059  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz



## Electric hob, 60 cm, Black, PKF645T14E

---

### Key Information

- Electronic control
- Digital display
- Safety cut-out switch-off
- Control panel lock

### Design

- 575 mm
- Front controls
- Touch control
- All around trim


### Features

- Variable 17-stage power settings for each zone
- Main on/off switch
- Power on indicator via on/off switch
- Timer for all zones
- 2 stage residual heat indicator for each zone
- Automatic boil start

### Performance/technical information

- 4 zone Quick-Therm hob
- 1 dual/extendable zone

**Electric hob, 60 cm, Black,  
PKF645T14E**



\* Minimum distance from the hob cut-out to the wall

\*\* Maximum installed depth

All measurements in mm