


Serie | 6, induction hob, 80 cm, Black PVW851FB1E





Optional accessories HEZ9SE030 : Set of 2 pots and 1 pan

The Induction hob: Faster than gas and ceramic hobs, induction is easier to clean and more energy efficient.

- **DirectSelect:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **MoveMode:** the automatic setting of cooking levels allows fast boiling on the front and simmering on the rear cooking zone.
- PowerBoost: Up to 50% more power for faster heating.
- The handy ChildLock locks the control panel to prevent accidental changes in settings.
- **Induction:** Fast, precise cooking, easy cleaning and low energy consumption.

Technical Data

Product name/family :	Cooking zone ceramic
Construction type :	Built-in
Energy input :	Electric
Total number of positions that can be used	d at the same time: 5
Required niche size for installation (HxW)	<pre>kD) :</pre>
Ę	51 x 750-750 x 490-500
Width of the appliance :	802
Dimensions :	51 x 802 x 522
Dimensions of the packed product (HxWxD) (mm) :	
	126 x 953 x 603
Net weight (kg) :	16.323
Gross weight (kg) :	17.8
Residual heat indicator :	Separate
Location of control panel :	Hob front
Basic surface material :	Ceramic
Color of surface :	Black
Approval certificates :	AENOR, CE
Length electrical supply cord (cm) :	110
EAN code :	4242002870861
Electrical connection rating (W) :	7400
Voltage (V) :	220-240
Frequency (Hz) :	50; 60





Serie | 6, induction hob, 80 cm, Black PVW851FB1E

The Induction hob: Faster than gas and ceramic hobs, induction is easier to clean and more energy efficient.

Design

- Three sided bevelled frameless finish

Special features

- 5 Induction cooking zones
- DirectSelect
- Digital display, red
- Variable 17-stage power settings for each zone
- Timer for all zones Timer shows how long the cooktop is in use
- HighSpeed ceramic glass
- Automatic pan recognition sensor Safety cut-out switch-off Control panel lock Control panel lock function
- QuickStart function
- ReStart function
- Energy consumption display
- Cable included
- Connection cable (1.1 m) with cable
- Connected load: 7.4 KW

Power and size

- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 240 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction
- Min. worktop thickness: 16 mm

Safety Features


- 2 stage residual heat indicator for each zone
- Main on/off switch


Quickness

- PowerBoost function for all zones




Serie | 6, induction hob, 80 cm, Black PVW851FB1E






① Ventilation gap must be present

All measurements in mm





① Ventilation gap must be present.

Measurements in mm