

**IQ700, free-standing dishwasher,
60 cm, Silver inox
SN27YI01CE**



Outstanding Zeolith® dishwasher with glassZone area for delicate treatment of your glassware.

- ✓ varioSpeed Plus – Wash and dry your dishes up to three times faster.
- ✓ flexComfort Pro – Easy-access dishwasher baskets that cradle your glassware.
- ✓ Height adjustable top rack in three stages – rackMatic.
- ✓ glassZone – Dedicated dishwasher zone that protects your glassware.
- ✓ Zeolith® drying – Quicker dishwasher drying that uses less energy.

Features

Technical Data

Energy Efficiency Class: B
 Energy Consumption for 100 cycles Eco Programme: 65 kWh
 Maximum number of place settings: 14
 The water consumption of the eco programme in liters per cycle:
 9.5 l
 Programme duration: 3:55 h
 Airborne acoustical noise emissions : 43 dB(A) re 1 pW
 Airborne acoustical noise emission class: B
 Built-in / Free-standing: Freestanding
 Height of removable worktop: 30 mm
 Dimensions of the product (HxWxD): 845 x 600 x 600 mm
 Depth with open door 90 degree: 1155 mm
 Adjustable feet: Yes - all
 Maximum adjustability feet: 20 mm
 Adjustable plinth: No
 Weight: 54.7 kg
 Gross weight: 56.0 kg
 Connection Rating: 2400 W
 Fuse protection: 10 A
 Nominal power: 220-240 V
 Frequency: 50; 60 Hz
 Repair index: 8.8
 Length electrical supply cord: 175.0 cm
 Plug type: GARDY plug w/ earthing
 Length inlet hose: 165 cm
 Length outlet hose: 190 cm
 EAN code: 4242003859988
 Installation type: Free-standing with built under possibility



Optional accessories

SZ73051EU	Mains cable with EU-Plug 5m
SZ73100	cutlery basket
SZ73300	Wineglass-Tray
SZ73640	Rack insert for stemware dishwasher
SZ72010	inlet and outlet hose extension 2 m
SZ73000	Dishwashing aid set

IQ700, free-standing dishwasher, 60 cm, Silver inox SN27YI01CE

Features

New for 2021

Performance

- Energy Efficiency Class¹: B
- Energy² / Water³: 65 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 3:55 (h:min)
- Noise level: 43 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 41 dB(A) re 1 pW

Programmes/functions

- 8 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Speed 60°, Speed 45 °C, brilliantShine 40 °C, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 5 special options: Remote Start, Shine & Dry, IntensiveZone, Hygiene Plus, Speed on Demand - varioSpeed Plus
- Machine Care
- Silence on Demand (via app)

Flexible design elements

- flexComfort Pro baskets basket system with blue coloured touchpoints
- varioDrawer - loading of cutlery on 3rd level
- easyGlide wheels on upper basket
- Low friction wheels on bottom basket and 3rd loading level
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 3 stage rackMatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- Home Connect ready
- Zeolith energy efficient drying
- glassZone
- autoOpen dry and Heat Exchanger
- dosageAssist detergent dispenser
- iQDrive motor
- Automatic detergent aware system
- AquaMix - Glass protection system

Design features

- TFT display with high-definition colour
- Black touch control operation
- Interior blue emotionLight
- Real-time clock
- Time delay (3, 6 or 24 hours)

- aquaStop®: Siemens home appliances' warranty in case of water damage – throughout the lifetime of the appliance.*
- Self-cleaning filter system with 3 piece corrugated filter
- Stainless steel interior
- Dimensions (HxWxD): 84.5 x 60 x 60cm

* Please find warranty terms under <https://www.siemens-home.bsh-group.com/uk/customer-service/warranty/additional-warranties>

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)


³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

**IQ700, free-standing dishwasher,
60 cm, Silver inox
SN27YI01CE**

Dimensioned drawings

measurements in mm



socket
() values with extension kit