iQ700, fully-integrated dishwasher, 60 cm SN678D06TG





Optional accessories

SZ73035panel strips, elevated install. 81,5cmSZ73010Retractable hinge f. high corpus dimens.

brilliantShine system with Zeolith®-Drying for brilliant shiny glasses; varioSpeed Plus for up to 3 times faster dishwashing and drying.

- ✓ brilliantShine system: the perfect interaction of Zeolith[®], Shine&Dry and glass 40° for extraordinary drying and cleaning results particularly for shiny glasses.
- ✓ Zeolith[®] drying: economical drying with a brilliant shine
- \checkmark varioSpeed Plus: Reduce program running times by up to 66%.
- \checkmark emotionLight for full illumination of the entire dishwasher interior.
- \checkmark TFT Display: easier operation thanks to a new, high-resolution view

Features

Technical Data

Energy Efficiency Class: D Energy Consumption for 100 cycles Eco Programme: 85 kWh Maximum number of place settings: 14 The water consumption of the eco programme in liters per cycle: 9.5 l Programme duration: 3:15 h Airborne acoustical noise emissions : 41 dB(A) re 1 pW Airborne acoustical noise emission class: B Built-in / Free-standing: Built-in Height of removable worktop: 0 mm Dimensions of the product (HxWxD): 815 x 598 x 550 mm Required niche size for installation (HxWxD): 815-875 x 600 x 550 mm Approval certificates: CE, VDE Depth with open door 90 degree: 1150 mm Adjustable feet: Yes - all from front Maximum adjustability feet: 60 mm Net weight: 51.7 kg Gross weight: 54.0 kg Connection Rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz Length electrical supply cord: 175 cm Plug type: GB plug Length inlet hose: 165 cm Length outlet hose: 190 cm EAN code: 4242003798454 Installation typology: Full-integrated



iQ700, fully-integrated dishwasher, 60 cm SN678D06TG

Features

Performance

- acoustic end of cycle indicator, Real-time clock, timeLight information projection, TFT display, water inlet indicator
- Noise level (silence programme): 39 dB(A) re 1 pW
- •

Programmes/functions

- 8 programmes: Intensiv 70 °C, Auto 45-65 °C, Eco 50 °C, Silence, Short, Glas 40 °C, Schnell 45 °C, Vorspülen
- 5 special options: Remote Start, intensiveZone, varioSpeed Plus, Hygiene Plus, Shine & Dry
- •
- 6 temperatures
- Special program 1: Machine Care

Flexible design elements

- varioFlex Pro basket system basket system with blue coloured touchpoints
- varioDrawer loading of cutlery on 3rd level
- Wine glass holder
- varioFlex Pro basket system
- 3 stage rackMatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Upper rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- DoorOpen Assist for handleless kitchens
- Heat exchanger Hygienic and efficient drying
- dossageAssist detergent dispenser
- Automatic detergent aware system
- hydroSensor, loadSensor
- aquaStop[®]: Siemens home appliances' warranty in case of water damage – for the lifetime of the appliance.*
- iQDrive motor

Design features

- Home Connect ready
- Black touch control operation
- Real-time clock
- Interior blue emotionLight
- Controls on top edge of door
- acoustic end of cycle indicator, timeLight information projection, water inlet indicator, TFT display
- Time delay (3, 6 or 24 hours)
- Black display with white text
- timeLight information projection, acoustic end of cycle indicator, Real-time clock, TFT display, water inlet indicator
- Display colour: Colour of indicators: blue
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock feature double push door open
- Front-adjustable rear foot
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Stainless steel interior
- Large item spray head, steam protection plate

 * Please find warranty terms under https://www.siemenshome.bsh-group.com/ie/customer-service/warranty/additionalwarranties

