

iQ300
WT45N200GB
Condenser dryer



B

iSensoric condenser dryer with sensor-controlled autoDry technology and softDry drum for optimal textile care.

- ✓ Sensor-controlled autoDry technology delivers perfectly dried laundry.
- ✓ 40 minute quick dry programme (Rapid 40).
- ✓ softDry drum system for extremely gentle drying
- ✓ Special drying programme for functional textiles such as sportswear and outdoor clothing.

Features

Technical Data

Built-in / Free-standing : Free-standing
 Removable top : No
 Door hinge : Right
 Length electrical supply cord (cm) : 145.0
 Height of removable worktop (mm) : 842
 Dimensions of the product (mm) : 842 x 598 x 599
 Net weight (kg) : 40.432
 EAN code : 4242003754528
 Connection Rating (W) : 2600
 Current (A) : 13
 Voltage (V) : 220-240
 Frequency (Hz) : 50
 Approval certificates : CE, VDE
 Capacity cotton (kg) - NEW (2010/30/EC) : 8.0
 Standard cotton programme : Cotton cupboard dry
 Energy efficiency class (2010/30/EC) : B
 Energy consumption electric dryer, full load - NEW (2010/30/EC) (kWh) : 4.63
 Standard cotton programme time at full load (min) : 137
 Energy consumption electric dryer, partial load - NEW (2010/30/EC) (kWh) : 2.61
 Standard cotton programme time at partial load (min) : 79
 Weighted annual energy consumption, electric dryer - NEW (2010/30/EC) (kWh) : 560.0
 Weighted programme time (min) : 104
 Average condensation efficiency full load (%) : 88
 Average condensation efficiency partial load (%) : 88
 Weighted condensation efficiency (%) : 88



iQ300

WT45N200GB

Condenser dryer

Features

Performance

- Energy efficiency class: B
- Capacity: 8 kg
- Energy consumption 560.0 kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low-power modes. Actual energy consumption per cycle will depend on how the appliance is used
- Energy consumption of the standard cotton programme at full load 4.63 kWh and energy consumption of the standard cotton programme at half load 2.61 kWh
- The programme Cottons cupboard dry used at full and partial load is the standard drying programme to which the information in the label and the fiche relates, this programme is suitable for drying normal wet cotton laundry and is the most efficient programme in terms of energy consumption for cotton.
- Programme time of the standard cotton programme at full load 137 min and programme time of the standard cotton programme at partial load 79 min.
- Weighted programme time of the standard cotton programme at full and partial load: 104 min.
- Condensation efficiency class B on a scale from G (least efficient) to A (most efficient).
- Average condensation efficiency of the standard cotton programme at full load 88 % and average condensation efficiency of the standard cotton programme at partial load 88 %.
- Weighted condensation efficiency for the standard cotton programme at full and partial load: 88 %.
- Power consumption in off-mode 0.1 W and in left-on mode 0.5 W
- Duration of left-on mode: NO_FEATURE
- Noise level: 65 dB (A) re 1 pW

Programmes/functions

- Fully electronic control dial for sensor and timed programmes
- Special programmes: Woollens Finish, mixed fabrics, outdoor, timed programme warm, timed programme cold, hygiene, lingerie, rapid 40, shirts 15
- Touch control buttons: low heat, less ironing, programme length, start/pause, fine-tuning of drying aim, 24 h time delay

Key features

- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- AntiVibration design: for greater stability and quietness

Additional features

- LED Display for remaining time and 24 hours time delay, programme status indication, special functions
- Anti crease cycle 120 minutes at the end of the programme
- Drum interior light
- Child Lock
- End of cycle buzzer
- Container for condensed water
- Door hinge: right-hand

Technical Information

- Dimensions (H x W x D): 84.2 x 59.8 x 59.9 cm
- Slide-under installation
- P-door with cover glass, decor Alu-Look, white

iQ300
WT45N200GB
Condenser dryer

Dimensioned drawings

