

iQ300, condenser tumble dryer, 8 kg
WT46B290GB



B



Optional accessories	
WZ11410	Stacking kit
WZ20160	Condenser drainage kit
WZ20400	Stacking kit with pull-out shelf
WZ20500	Platform with pull-out
WZ20600	Wool in basket - accessory

iSensonic condenser dryer with 8 kg drum capacity.

- ✓ speedPack – Save time with our fast and highly efficient dryers.
- ✓ Sensor-controlled autoDry technology delivers perfectly dried laundry.
- ✓ Outdoor programme – Dry your waterproof and outdoor clothing safely.
- ✓ easyClean filter for convenient fluff removal from the condenser filter.
- ✓ 40 minute quick dry programme (Rapid 40).

Features

Technical Data

Built-in / Free-standing:	Freestanding
Removable top:	No
Door hinge:	Right
Length electrical supply cord:	145.0 cm
Height of removable worktop:	0 mm
Dimensions:	842 x 598 x 599 mm
Weight:	40.4 kg
EAN code:	4242003707500
Connection Rating:	2600 W
Fuse protection:	13 A
Nominal power:	220-240 V
Frequency:	50 Hz
Capacity:	8.0 kg
Energy efficiency rating:	B
Energy consumption electric dryer, full load - NEW (2010/30/EC):	4.63 kWh
Standard cotton programme time at full load:	137 min
Energy consumption electric dryer, partial load - NEW (2010/30/EC):	2.61 kWh
Standard cotton programme time at partial load:	82 min
Weighted annual energy consumption, electric dryer - NEW (2010/30/EC):	561.0 kWh/annum
Weighted programme time:	106 min
Average condensation efficiency full load (%):	88 %
Average condensation efficiency partial load (%):	88 %
Weighted condensation efficiency (%):	88 %



iQ300, condenser tumble dryer, 8 kg WT46B290GB

Features

Performance

- Energy Efficiency Class: B at a range of energy efficiency classes from A+++ to D
- Capacity: 8 kg
- Energy consumption 561.0 kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low-power modes. Actual energy consumption per cycle will depend on how the appliance is used
- Energy consumption of the standard cotton programme at full load 4.63 kWh and energy consumption of the standard cotton programme at half load 2.61 kWh
- The programme Cotton cupboard dry used at full and partial load is the standard drying programme to which the information in the label and the fiche relates, this programme is suitable for drying normal wet cotton laundry and is the most efficient programme in terms of energy consumption for cotton.
- Power consumption in off-mode 0.1 W and in left-on mode 0.5 W
- Duration of left-on mode: 0 minutes
- Programme time of the standard cotton programme at full load 137 min and programme time of the standard cotton programme at partial load 82 min.
- Weighted programme time of the standard cotton programme at full and partial load: 106 min.
- Condensation efficiency class B on a scale from G (least efficient) to A (most efficient).
- Average condensation efficiency of the standard cotton programme at full load 88 % and average condensation efficiency of the standard cotton programme at partial load 88 %.
- Weighted condensation efficiency for the standard cotton programme at full and partial load: 88 %.
- Noise level: 65 dB (A) re 1 pW

Programmes/functions

- Fully electronic control dial for sensor drying, including timed and special programmes
- Special programmes: Woollens Finish, mixed fabrics, outdoor, timed programme warm, timed programme cold, hygiene, lingerie, rapid 40, shirts 15
- Buttons: start/pause, low heat, buzzer, less ironing, programme length, fine-tuning of drying aim, 24 h, end time delay

Key features

- Sensitive drying: large softDry stainless steel drum system and revolution drying system
- AntiVibration design: for greater stability and quietness

Additional features

- LED Display for remaining time and 24 hours time delay, programme status indication, special functions
- Anti crease cycle 120 min at the end of the programme
- easyClean filter
- Drum interior light
- Child Lock
- End of cycle buzzer

- Door hinge: right-hand
- Metal door catch

Technical Information

- Slide-under installation
- Glass door,, silver-white