

iQ700, built-in fridge-freezer with  
freezer at bottom, 212.5 x 75.6  
cm, flat hinge  
CI30BP02



Premium design built-in fridge-freezer with hyperFresh plus  
-0°C box and automatic icemaker for outstanding freshness.

- ✓ hyperFresh plus: Longer freshness for fruits and veggies.
- ✓ bigCapacity: More storage space for your groceries.
- ✓ superCooling: Fast cooling for your fresh food.
- ✓ Extra strong and easy-cleaning safety glass - safetyGlass shelves.

Energy Efficiency Class (Regulation (EU) 2017/1369):	E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	295 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369):	136 l
Sum of volume of chill- and unfrozen compartments (EU 2017/1369):	316 l
Airborne acoustical noise emissions (EU 2017/1369):	42 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369):	D
Built-in / Free-standing:	Built-in
Number of compressors:	2
Number of independent cooling systems:	2
Width of the appliance:	756 mm
Height:	2125 mm
Depth:	608 mm
Net weight:	175.5 kg
Required niche size for installation (HxWxD):	2134 x 762 x 610 mm
Door panel options:	Possible but accessory
Door hinge:	Right reversible
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	No
Frost free system:	Fridge
Interior ventilator:	Yes
Reversible Door Hinge:	Yes
Length electrical supply cord:	300.0 cm
Noise level:	42 dB(A) re 1pW
Multi-Flow Air Tower:	Yes
Fast cooling switch:	Yes
Fast freezing switch:	Yes
Temperature Controlled Drawer:	No
Humidity Control Drawer:	Yes
Number of Door Bins - Refrigerator:	3
Door bin adjustability - Refrigerator:	Yes
Tilt-out door bins in fridge:	No
Gallon Storage:	Yes
Number of Gallon storage:	1
Motorized Shelf:	No
Material of the shelves:	Safety glass
Door opened indicator freezer:	No
Automatic motor-driven ice-maker:	Yes
Connection Rating:	300 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50-60 Hz
Storage Period in Event of Power Failure (h):	13 h
Door panel options:	Possible but accessory
Noise level:	42 dB(A) re 1pW
Energy Star Qualified:	No
Plug type:	Garday plug w/ earthing
Required cutout/niche size for installation (in):	84 x 30 x 24 3/4
Dimensions of the packed product:	88.18 x 33.46 x 29.92
Net weight:	387.000 lb

CI30ZSETB2	St. steel doorpanels 30" 2 Door w/o hand
CI60Z000	Installation Kit SxS
CI60Z200	Heating side kit 230V EU Version
CI10Z591	Handles Set (2 pcs) for BM30 IC6 Design
CI30Z201	Stainless steel toe kick 30" for BM30

Gross weight: ..... 423.000 lbs



## iQ700, built-in fridge-freezer with freezer at bottom, 212.5 x 75.6 cm, flat hinge CI30BP02

### General Information

- Nominal voltage: 220 - 240 V

### Dimensions

- Niche Dimension (HxWxD): 213.4 cm x 76.2 cm x 61 cm
- Net capacity, total: 418 l
- Gross capacity, total: 517 l
- Gross fridge capacity: 360 l
- Gross freezer capacity: 157 l

### Cooling Systems

- superCooling: Stable temperature: superCooling.
- You can use the superCooling button to quickly reduce the temperature in the refrigerator to +2 °C. This prevents an undesirable rise in the temperature of your already chilled food whenever you add food that is not as cold.
- noFrost: No more defrosting: the noFrost technology.
- With noFrost, a ventilation system diverts the humidity from the freezer compartment. As a result, the air remains dry. This reliably prevents frost from forming on the inside of the appliance or on your food.
- superFreezing: Freeze super large quantities super fast: superFreezing.
- To prevent thawing of frozen foods when placing large quantities of new food in the freezer, simply activate the superFreezing button before going shopping. The appliance will then automatically cool down to a temperature as cold as -30 °C so that newly stored foods do not interrupt the freezing process.
- freshSense
- Your fridge knows what your food needs: freshSense. Even the slightest changes in temperature, like the sun shining on the fridge freezer, can affect the conditions inside the fridge – and thus the freshness of your food. To prevent this, freshSense measures the temperature on the inside and the outside of the fridge and knows when the surrounding conditions change. As soon as a change is registered, the control system immediately takes countermeasures to ensure your food stays fresh for as long as possible.

### Convenience & Safety

- safetyGlass shelves: Shatterproof and easy to clean: the safetyGlass shelves.
- All glass shelves are made from extra strong, easy-to-clean safety glass. If something tips over, the spillage is contained and does not spill into the rest of the refrigerator compartment.
- hyperFresh plus
- Keeps fruits and vegetables fresh for up to two times longer: hyperFresh plus. A slider lets you adjust the humidity level in the hyperFresh plus drawer to its content. This guarantees an ideal humidity level that preserves flavour, vitamins, and nutrients for longer.
- multiAirflow: Ensures even cooling at all levels: the multiAirflow system.
- The multiAirflow system circulates the air evenly in the refrigerator




compartment for constant temperatures. Foods recently placed inside are cooled faster. And the fresh food quality is preserved better.

- Telescopic rails: Ergonomically ideal access: fully-retractable drawers on telescopic rails.
- Thanks to the optional accessory of fully retractable drawers on telescopic rails, you can easily pull the drawers out far. This gives you a better overview of all food items and makes them easier to remove.
- multiAlarm system: Always reliable: the multiAlarm system.
- The multiAlarm system notifies you visually and acoustically when the temperature rises, which can happen for example if the door is left open.
- icemaker: The integrated icemaker makes as many ice cubes as you want, whenever you want them.


### Freezer Compartment

- 1 big tray on door
- 1 hydrofresh container with telescopic rails.
- 1 vegetable container on rails
- 3 Safety Glass Shelves of which 2 are height adjustable
- 3 small trays on door

iQ700, built-in fridge-freezer with  
freezer at bottom, 212.5 x 75.6  
cm, flat hinge  
CI30BP02



Base detail



Based on the standard appliance height, the height of the plinth is 102 mm. Maximum plinth thickness 19 mm.