


## iQ500, Gas hob, 90 cm, Tempered glass EP9A6QB90



HZ211310	Simmer cap
HZ298105	Simmer plate
HZ298114	Small pot support

Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ This wok burner with up to 4000 W of power is ideal for a wide variety of foods, even in large quantities.
- ✓ The extremely convenient sword knob makes it easy to recognize the power level selected.
- ✓ Extremely heat-resistant and easy to clean – the modern hard glass surface.

Product name/family: ..... gas hob w integrated controls  
 Built-in / Free-standing: ..... Built-in  
 Energy input: ..... Gas  
 Total number of positions that can be used at the same time: 5  
 Type of control setting devices: .....sword knobs  
 Min. required niche size for installation (HxWxD): ....45 x 850-852 x 490-502 mm  
 Width of the appliance: ..... 915 mm  
 Dimensions: ..... 58 x 915 x 520 mm  
 Dimensions of the packed product (HxWxD): . 165 x 1116 x 659 mm  
 Net weight: ..... 22.8 kg  
 Gross weight: ..... 25.0 kg  
 Residual heat indicator: .....without  
 Location of control panel: ..... Front  
 Basic surface material: ..... Tempered glass  
 Color of surface: ..... Black  
 Color of frame: ..... Black  
 Length electrical supply cord: ..... 150.0 cm  
 Knob Material: ..... Plastic  
 Sealed Burners: ..... No  
 Power of heating element (kW): ..... 1 kW  
 Power of 3rd heating element (kW): ..... 1.75 kW  
 Power of 5th heating element (kW): ..... 3 kW  
 Connection Rating: ..... 1 W  
 Gas connection rating: ..... 11500 W  
 Fuse protection: .....3 A  
 Voltage: .....220-240 V  
 Frequency: .....50; 60 Hz  
 Energy input: ..... Gas  
 Gas type: .....Nat gas H/E(L) 20 (25) mbar  
 Alternative gas type: .....Liquid gas G30,31 28-30/37mbar  
 Plug type: ..... No plug  
 Appliance Dimensions (h x w x d) (in): ..... x x  
 Dimensions of the packed product: ..... 6.49 x 25.94 x 43.93  
 Net weight: ..... 50.000 lbs  
 Gross weight: ..... 55.000 lbs  
 Total number of positions that can be used at the same time: 5  
 Length electrical supply cord: ..... 150.0 cm  
 Min. required niche size for installation (HxWxD): ....45 x 850-852 x 490-502 mm  
 Dimensions: ..... 58 x 915 x 520 mm  
 Dimensions of the packed product (HxWxD): . 165 x 1116 x 659 mm  
 Net weight: ..... 22.8 kg  
 Gross weight: ..... 25.0 kg



## iQ500, Gas hob, 90 cm, Tempered glass EP9A6QB90

### Cooking Zone

- 5 gas burners
- Front left Economy burner maximum power: 1000 W (depending on gas type)
- Rear left Standard burner maximum power: 1750 W (depending on gas type)
- Centre work burner maximum power: 4000 W (depending on gas type)
- Front right Standard burner maximum power: 1750 W (depending on gas type)
- Rear right High-speed burner maximum power: 3000 W (depending on gas type)

### Design

- black glass base
- Sword control knobs

### Key Functions

- stepFlame Technology
- Cast iron separable w rub feet
- Flame failure safety device

### Dimensions:

- Dimensions of the product (HxWxD mm) : 45 x 915 x 520
- Required niche size for installation (HxWxD mm) : 45 x 850 - 852 x 490-502
- Length electrical supply cord: 150 cm
- Gas connection rating: 11500 W
- Preset nozzle: Natural gas H/E 20mbar, E+ 20/25mbar
- Liquid gas G30,31 28-30/37mbar nozzle included

iQ500, Gas hob, 90 cm, Tempered glass  
EP9A6QB90

