

iQ100, built-under fridge, 82 x 60 cm KU15RA50NE



ncluded accessories

1 x egg tray

iQ 500 undercounter fridge with handy covered fruit and vegetables compartment

Features

Technical Data

Built-in / Free-standing : Built-in Number of compressors : 1

Number of independent cooling systems: 1

Width of the appliance : 598 Height (mm) : 820 Depth of the product : 548

Net weight (kg) : 34.295

Required niche size for installation (HxWxD): 820 x 600 x 550

Door panel options: Possible but accessory

Door hinge: Right reversible

Number of Adjustable Shelves in fridge compartment: 2

Shelves for Bottles : No Frost free system : No Interior ventilator : No Reversible Door Hinge : Yes

Length electrical supply cord (cm): 230

Noise level (dB): 38 Multi-Flow Air Tower: No Economy setting: No

Cold technology: 1 compressor/1 cold circuit

Fast cooling switch: No

Temperature Controlled Drawer: No Humidity Control Drawer: No Number of Door Bins - Refrigerator: 3 Door bin adjustability - Refrigerator: No Tilt-out door bins in fridge: Yes

Gallon Storage : Yes Number of Gallon storage : 1 No. of shelves in fridge : 3 Motorized Shelf : No

Material of the shelves: Glas, plastic Door opened indicator freezer: No Connection Rating (W): 90

Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 50

Approval certificates : G-Mark Main colour of product : White

Door panel options : Possible but accessory

Installation typology : Build-under

Noise level (dB) : 38 Energy Star Qualified : No Plug type : Gardy plug w/ earthing

Required cutout/niche size for installation (in): x x

Dimensions of the packed product (in) : $35.03 \times 26.37 \times 24.40$

Net weight (lbs): 76.000 Gross weight (lbs): 82.000





iQ100, built-under fridge, 82 x 60 cm KU15RA50NE

Feature

- Easy clean interior
- Interior door tray design with silver trim

Fridge Compartment

- 3 Safety Glass Shelves of which 2 are height adjustable
- Bottle holder in x-deep door tray
- Big pull out tray
- 2 vegetable containers with lid

Technical Information

- Net Capacity Fridge: 137 L
- Right hinged door, reversible door
- Connection value 90 W
- Ventilation in plinth, no cut-out in the worksurface necessary

Dimensions

Appliance Height: 820 mm
Appliance Width: 598 mm
Appliance Depth: 548 mm



iQ100, built-under fridge, 82 x 60 cm KU15RA50NE

548 598 550> 600. 580 818 820 ~ 870*/ 868 100/150*1 170 220* 1 30-85 170 100/150* 220*1 * variable base/substructure height Space for electrical connection next to the appliance on the left or right-hand side. Ventilation space in the base. measurements in mm