

iQ700, fully-integrated
dishwasher, 60 cm, varioHinge
SN778D86TE



SZ72010	inlet and outlet hose extention 2 m
SZ73000	Dishwashing aid set
SZ73005	Compensating + fixing kit, stainl. steel
SZ73035	panel strips, elevated install. 81,5cm
SZ73051EU	Mains cable with EU-Plug 5m
SZ73056	Attachment door, brushed steel
SZ73100	cutlery basket
SZ73300	Wineglass-Tray

brilliantShine system with Zeolite®-Drying for brilliant shiny glasses; varioSpeed Plus for up to 3 times faster dishwashing and drying.

- ✓ Zeolith® drying – Quicker dishwasher drying that uses less energy.
- ✓ varioSpeed Plus: for an up to 66% shorter wash cycle. Sparkling clean dishes – and dry as well.
- ✓ emotionLight Pro – Light up your dishwasher with 256 vibrant colours.
- ✓ infoLight shines whith a blue light on the kitchen floor when running but goes out when the washing and drying cycle is over.
- ✓ Hygiene 80* Air: for antibacterial dishwashing at extra high temperatures for maximum hygiene.

Energy Efficiency Class (Regulation (EU) 2017/1369): D
Energy Consumption for 100 cycles Eco Programme (EU 2017/1369):84 kWh
The water consumption of the eco programme in liters per cycle (EU 2017/1369): 9.5 l
Programme duration (EU 2017/1369): 3:15 h
Airborne acoustical noise emissions (EU 2017/1369): ...42 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369): B
Cleaning performance: A
Water consumption:9.5 l
Total annual energy consumption 220 days: 180 kWh
Total annual water consumption 220 days: 2090 l
Built-in / Free-standing: Built-in
Removable top: No
Door panel options:Not possible
Height of removable worktop:0 mm
Height of the appliance:815 mm
Adjustable feet: Yes - all from front
Maximum adjustability feet: 60 mm
Adjustable plinth:Both horizontal and vertical
Net weight:49.4 kg
Gross weight: 51.0 kg
Connection Rating: 2400 W
Fuse protection:10 A
Voltage:220-240 V
Frequency:50; 60 Hz
Length electrical supply cord: 175.0 cm
Plug type: Gardy plug w/ earthing
Length inlet hose: 165 cm
Length outlet hose: 190 cm
Hidden heating element: Yes
Water protection system description: Triple water protection 24h
Child safety devices: Yes
Water softener:Yes
Top basket type: high TP
Adjustable upper basket: Rackmatic 3-stage
Bottom basket type: high TP
3rd Rack:VarioDrawer Pro
Optional accessories: SZ72010, SZ73000, SZ73005, SZ73035, SZ73051EU, SZ73056, SZ73100, SZ73300
Included accessories : Vapor barrier plate
Maximum number of place settings: 14
Dimensions of the product (HxWxD):815 x 598 x 550 mm

Dimensions of the packed product (HxWxD): ...870 x 660 x 670 mm



iQ700, fully-integrated dishwasher, 60 cm, varioHinge SN778D86TE

Dimensions

- Dimensions (HxWxD): 81.5 x 59.8 x 55 cm
- Noise level (silence programme): 40 dB(A) re 1 pW
- Energy consumption when connected to hot water in programme Eco 50: 0.6 kWh

Programmes

- 8 Programme: Intensiv 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Kurz 60 °C, Glas 40 °C, Schnell 45 °C, Vorspülen
- 5 special options: Remote Start, Intensive Zone, VarioSpeedPlus, HygienePlus, Glanz Trocknen
- 6 cleaning temperatures

Features

- Machine Care
- speedMatic hydraulic system
- Zeolith drying technology
- iQ Drive
- AquaSensor, LoadSensor
- Automatic detergent detection
- Heat exchanger.
- emotionLight
- halfLoad
- Regeneration electronics
- vario baskets
- Inner Tub: stainless steel interior
- Push button top controls
- hygienePlus option
- High-definition colour TFT display showing graphic symbols and plain text
- Acoustic end of cycle indicator
- Infolight blue
- Real Time Clock
- aquaStop with guarantee
- Time delay: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- dosageAssist
- DosageAssist

Capacity & Design

- Cutlery drawer 2.1
- Adjustable upper rack: Rackmatic 3-stage
- 2 foldable plate racks & 2 cup shelves in top basket
- 8x flip tines alternating
- vario basket system
- aquaStop water protection system with guarantee
- Door Assistant
- Frontadjustable rear foot
- including Steam protection plate

iQ700, fully-integrated
dishwasher, 60 cm, varioHinge
SN778D86TE

