

**Series 2, telescopic cooker hood, 90 cm, Silver metallic DFM094W53**



**Telescopic cooker hood: barely visible integrated in the wall unit, this ensures a clear kitchen design.**

- **Metal Grease Filter:** cleans the air, captures grease, easy monthly clean-up.

- DSZ4986 Handle strip black
- DWZ1IT1B4 Clean Air Standard odor filter (repl.)
- DWZ1IT1I4 Clean Air Standard recirculation kit
- DSZ4545 Standard recirculation kit
- DSZ4551 Standard odor filter (replacement)
- DSZ4982 Handle strip white

Typology: ..... Pull-out  
 Length electrical supply cord: ..... 175.0 cm  
 Min. required niche size for installation (HxWxD): 162mm x 526.0mm x 290mm mm  
 Net weight: ..... 10.0 kg  
 Type of control: ..... mechanical  
 Number of speed settings: ..... 3  
 Max. air extraction: ..... 383 m<sup>3</sup>/h  
 Max. air recirculation: ..... 257 m<sup>3</sup>/h  
 Number of lights: ..... 2  
 Noise level: ..... 67 dB(A) re 1 pW  
 Diameter of air outlet: ..... 120 / 150 mm  
 Grease filter material: ..... Washable aluminium  
 Odour filter: ..... No  
 Operating Mode: ..... Exhaust / Recirculation (Accessory available separately)  
 Optional accessories: . DSZ4986, DWZ1IT1B4, DWZ1IT1I4, DSZ4545, DSZ4551, DSZ4982  
 Type of lamps used: ..... LED  
 Total power of the lamps: ..... 3 W  
 Grease filter type: ..... Kasette  
 Connection rating: ..... 108 W  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50 Hz  
 Plug type: ..... Gardy plug w/ earthing  
 Installation typology: ..... Built-in  
 Material body: ..... zinc plated  
 Plug type: ..... Gardy plug w/ earthing  
 Dimensions of the product, with chimney (if exists) (in): ..... x x  
 Dimensions of the packed product: ..... 12.20 x 37.00 x 14.17  
 Net weight: ..... 22.000 lbs  
 Gross weight: ..... 27.000 lbs  
 Motor location: ..... Integrated motor in hood body  
 No-return airflow flap: ..... Yes  
 Length electrical supply cord: ..... 175.0 cm  
 Dimensions of the product, with chimney (if exists): ..... 203 x 898.0 x 290.0 mm  
 Dimensions of the packed product (HxWxD): ..... 310 x 940 x 360 mm  
 Net weight: ..... 10.0 kg  
 Gross weight: ..... 12.3 kg



## **Series 2, telescopic cooker hood, 90 cm, Silver metallic DFM094W53**

**Telescopic cooker hood: barely visible integrated in the wall unit, this ensures a clear kitchen design.**

---

### **Variant**

- 90 cm wide
- 90 cm Slimline hood, silver metallic
- For installation in a special wall cupboard (60 or 90 cm)
- Suitable for ducted or re-circulated extraction
- Recirculating kit

### **Design**

#### **Comfort**

- Automatic On/Off operation when telescopic canopy is pulled out and pushed back
- rocker switches
- 3 speeds

#### **Features**

- 2 x 1,5 W LED
- Colour Temperature: 3500 K
- Light Intensity: 117 lux
- Cassette with alu frame
- Metal grease filter, dishwasher safe

#### **Performance**

- Extraction rate exhaust air according to EN 61591 max. 383 m<sup>3</sup>/h
- Noise level according to EN 60704-2-13 at max. normal use exhaust air: Noise, max. speed in normal us: 67 dB dB(A) re 1 pW
- Noise min./max. Normal Level: 60/67 dB
- 1 high-performance blower, Capacitor motor
- Capacitor motor

#### **Planning and installation information**

- Dimensions (HxWxD): 203 x 898 x 290 mm
- Built-in dimensions (HxWxD): 162 x 526 x 290 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- with one-way flap
- Electrical cable length 1.75 m
- Stainless steel handle included

#### **Consumption Data**

- Energy Efficiency Class: C (at a range of energy efficiency classes from A+++ to D)
- Average Energy Consumption: 46.1 kWh/year
- Blower Efficiency Class: D\*
- Lighting Efficiency Class: A
- Grease Filtering Efficiency Class: B
- Power rating: 108 W

\* In accordance with the EU-Regulation No 65/2014

**Series 2, telescopic cooker hood, 90 cm, Silver metallic**  
**DFM094W53**

