


**Series 4, canopy cooker hood, 53 cm,
Silver metallic
DHL555BL**



- DHZ7305 Standard odor filter
- DHZ7402 Installation kit for canopy

The canopy cooker hood: offers you flexibility in your kitchen planning - mount it either on the wall or above a kitchen island.

- **especially silent:** maximal extractor performance with minimal noise
- **Intensive speed setting:** removes strong kitchen odours especially quickly and effectively.

Typology: Built-in/Built-under
 Length electrical supply cord: 130.0 cm
 Min. required niche size for installation (HxWxD): 255mm x 500.0mm x 350mm mm
 Net weight: 7.5 kg
 Type of control: mechanical
 Number of speed settings: 3-stages + intensive setting
 Max. air extraction: 363 m³/h
 Boost position output recirculating: 395.0 m³/h
 Max. air recirculation: 268 m³/h
 Boost position air extraction: 618 m³/h
 Number of lights: 2
 Noise level: 56 dB(A) re 1 pW
 Diameter of air outlet: 120 / 150 mm
 Grease filter material: Washable aluminium
 Odour filter: No
 Operating Mode: Exhaust / Recirculation (Accessory available separately)
 Optional accessories: DHZ7305, DHZ7402
 Total power of the lamps: 6 W
 Grease filter type: Kasette
 Connection rating: 206 W
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: Gardy plug w/ earthing
 Installation typology: Built-in
 Material body: Lacquered
 Plug type: Gardy plug w/ earthing
 Dimensions of the product, with chimney (if exists) (in): x x
 Dimensions of the packed product: 11.41 x 23.22 x 17.32
 Net weight: 17.000 lbs
 Gross weight: 19.000 lbs
 Motor location: Integrated motor in hood body
 No-return airflow flap: Yes
 Length electrical supply cord: 130.0 cm
 Dimensions of the product, with chimney (if exists): 255 x 530.0 x 380.0 mm
 Dimensions of the packed product (HxWxD): 290 x 590 x 440 mm
 Net weight: 7.5 kg
 Gross weight: 8.5 kg



Series 4, canopy cooker hood, 53 cm, Silver metallic DHL555BL

The canopy cooker hood: offers you flexibility in your kitchen planning - mount it either on the wall or above a kitchen island.

-
- Energy Efficiency Class: C (at a range of energy efficiency classes from A+++ to D)
 - Average Energy Consumption: 79.8 kWh/year
 - Blower Efficiency Class: D*
 - Lighting Efficiency Class: A
 - Grease Filtering Efficiency Class: B
 - Noise min./max. Normal Level: 38/56 dB

Variant:

Design:

Technical information

Environment and safety:

Comfort:

Measures:

- Canopy silver metallic
- Suitable for ducted or re-circulated extraction
- 2 x LED spot 2,15W (low volt)
- For recirculated extraction standard odor filter (accessory) needed
- For installation in a modified cupboard, above a hob
- Sliding switch control
- 3 speeds plus intensive setting
- Twin motor
- Dishwasher-safe metal grease filter with aluminium trim
- Light Intensity: 438 lux
- Colour Temperature: 3500 K
- Extraction rate exhaust air according to EN 61591:
 - max. normal use 362 m³/h, intensive 618 m³/h
- Noise level according to EN 60704-2-13 exhaust air:
 - Max. normal use: 56dB(A) re 1 pW
 - Intensive: 68 dB(A) re 1 pW
- Max. extraction rate: 618 m³/h
- Dimensions (HxWxD): 255 x 530 x 380 mm
- Built-in dimensions (HxWxD): 255 x 500 x 350 mm
- Power rating: 206 W
- 120 or 150 mm diameter pipe
- with one-way flap

Technical information

* In accordance with the EU-Regulation No 65/2014

**Series 4, canopy cooker hood, 53 cm,
Silver metallic
DHL555BL**

