

**Series 6, canopy cooker hood, 52 cm,
Stainless steel
DHL575C**



DHZ5316	Standard odor filter (replacement)
DHZ5605	Standard recirculation kit
DWZ0IT0P0	Long Life odor filter (replacement)
DWZ1IT1D1	Long Life recirculation kit external
DWZ1IX1B6	Clean Air Plus odor filter (replacement)
DWZ1IX1C6	Clean Air Plus recirc. kit external

The canopy cooker hood: offers you flexibility in your kitchen planning - mount it either on the wall or above a kitchen island.

- **Intensive speed setting:** removes strong kitchen odours especially quickly and effectively.
- **Metal Grease Filter:** cleans the air, captures grease, easy monthly clean-up.

Typology: Built-in/Built-under
 Length electrical supply cord: 150.0 cm
 Min. required niche size for installation (HxWxD): 418mm x 496.0mm x 264mm mm
 Net weight: 7.9 kg
 Type of control: Electronic
 Number of speed settings: 3-stages + intensive setting
 Max. air extraction: 560 m³/h
 Boost position output recirculating: 581 m³/h
 Max. air recirculation: 533 m³/h
 Boost position air extraction: 615 m³/h
 Number of lights: 2
 Noise level: 67 dB(A) re 1 pW
 Diameter of air outlet: 150 / 120 mm
 Grease filter material: Washable aluminium
 Odour filter: No
 Operating Mode: Exhaust / Recirculation (Accessory available separately)
 Optional accessories: DHZ5316, DHZ5605, DWZ0IT0P0, DWZ1IT1D1, DWZ1IX1B6, DWZ1IX1C6
 Type of lamps used: LED
 Total power of the lamps: 2 W
 Grease filter type: Cassette
 Connection rating: 252 W
 Fuse protection: 3 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: Gardy plug w/ earthing
 Installation typology: Built-in
 Material body: Stainless steel
 Plug type: Gardy plug w/ earthing
 Dimensions of the product, with chimney (if exists) (in): x x
 Dimensions of the packed product: 14.56 x 18.30 x 23.62
 Net weight: 17.000 lbs
 Gross weight: 24.000 lbs
 Motor location: Integrated motor in hood body
 No-return airflow flap: Yes
 Length electrical supply cord: 150.0 cm
 Dimensions of the product, with chimney (if exists): 418 x 520.0 x 300.0 mm
 Dimensions of the packed product (HxWxD): 370 x 465 x 600 mm
 Net weight: 7.9 kg
 Gross weight: 10.9 kg



Series 6, canopy cooker hood, 52 cm, Stainless steel DHL575C

The canopy cooker hood: offers you flexibility in your kitchen planning - mount it either on the wall or above a kitchen island.

- Energy Efficiency Class: C (at a range of energy efficiency classes from A+++ to D)
- Average Energy Consumption: 90.2 kWh/year
- Blower Efficiency Class: C*
- Lighting Efficiency Class: A
- Grease Filtering Efficiency Class: D
- Noise min./max. Normal Level: 50/67 dB

Variant:

Design:

Technical information

Environment and safety:

Comfort:

Measures:


- Canopy Brushed steel
- Suitable for ducted or re-circulated extraction
- For recirculated extraction standard recirculation kit or Clean Air Plus recirculation kit (accessory) needed
- For installation in a kitchen cabinet
- Electronic controls
- Push button controls with Electronic display
- 3 speeds plus intensive setting
- Automatic revert setting, 6 minutes
- RimVentilation
- Filter cover stainless steel
- Metal grease filter, dishwasher safe
- 2 x LED spot 1W
- Light Intensity: 244 lux
- Colour Temperature: 4000 K
- Twin channel high performance fan motor
- Extraction rate exhaust air according to EN 61591:
 - max. normal use 560 m³/h, intensive 615 m³/h
- Noise level according to EN 60704-2-13 exhaust air:
 - Max. normal use: 67 dB(A) re 1 pW
 - Intensive: 70 dB(A) re 1 pW
- Max. extraction rate: 615 m³/h
- Dimensions (HxWxD): 418 x 520 x 300 mm
- Built-in dimensions (HxWxD): 418 x 496 x 264 mm
- Power rating: 252 W
- 120 or 150 mm diameter pipe
- with one-way flap

Technical information


- With the Clean Air Plus recirculation kit (available as optional accessory) your appliances reaches:
 - Extraction rate in recirculation mode: Max. normal use: 533 m³/h
 - Intensive: 581 m³/h
- Noise level in recirculation mode: Max. normal use: 72 dB(A) re 1 pW
- Intensive: 74 dB(A) re 1 pW

* In accordance with the EU-Regulation No 65/2014


**Series 6, canopy cooker hood, 52 cm,
Stainless steel
DHL575C**



measurements in mm



Measurements in mm



- A: Electric
- B: Gas - from upper e
- C: Electric - for Austr