

Series 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HRG6769S6







 $1\ x$ enamel baking tray, $1\ x$ combination grid, $1\ x$ universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

The built-in oven with PerfectBake, PerfectRoast and added steam: your dishes come out automatically perfect and crispy on the outside, juicy on the inside.

- Added steam: your foods turn out crispy on the outside and juicy on the inside.
- 4D hotair: even heat distribution for perfect results on any level.
- TFT-touchdisplay: easy-to-use thanks to the control ring with clear text and images.
- Pyrolytic self-cleaning: no cleaning effort thanks to automatic self-cleaning.
- LED side lighting: perfect illumination of foods on all levels.

Gross weight:
Dimensions:
Cooking, Bottom heat, Hot air grilling, pre-heating, warming Number of interior lights:
Broil Element Wattages cavity 1:
kWh/cycle Energy efficiency index (2010/30/EC): .87.1 % Connection rating: .3600 W Fuse protection: .16 A Voltage: .220-240 V Frequency: .50; 60 Hz Plug type: Gardy plug w/ earthing Energy input: .Electric Required cutout/niche size for installation (in): .x Dimensions of the packed product: .26.57 x 25.98 x 27.16 Net weight: .100.000 lbs Gross weight: .106.000 lbs Length electrical supply cord: .120.0 cm Net weight: .45.5 kg



Series 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HRG6769S6

The built-in oven with PerfectBake, PerfectRoast and added steam: your dishes come out automatically perfect and crispy on the outside, juicy on the inside.

Type of oven / heating system:

- Additional heating methods with steam: Regeneration with steam, Fermentation with steam
- Temperature range 30 °C 300 °C
- Cavity volume: 71 l

Hook-in racks / rails

- Number of shelf levels: 5 PC
- 3 level telescopic shelf rails, full extension, pyrolitic proof, with Stop function

Design:

- Rotary swivel

Cleaning:

- Pyrolytic self-cleaning function
- Full glass inner door

Comfort:

- 3x 2,5"-TFT color and graphics display with direct touch function
- Electronic clock
- Temperature proposal
- Actual temperature display Heating-up control Meat probe Sabbath setting
- Additional functions:
- descaling programme
- drying function
- Oven door with SoftOpen and SoftClose, Drop down door
- Bar handle
- Supporting systems: Dish Assist
- baking sensor
- multipoint temperature probe
- Rapid heating-up
- LED light, LED-Elongated light, Switch for oven illumination
- Water tank with 1 l
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integral cooling fan
- HomeConnect ready on Wi-Fi

Accessory:

- enamel baking tray, combination grid, universal pan

Environment and Safety:

- very low door temperature
- Low door temperature during pyrolitic cleaning
- Automatic door lock during pyrolysis
- Child lock Automatic switch off Residual heat indicator Start-/Stop button Door contact switch

Technical Information


- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A(at a range of energy efficiency classes from A+++ to D)




- Energy consumption per cycle in conventional mode:0.9 kWh
- Energy consumption per cycle in fan-forced convection mode:0.74 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 l



Series 8, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HRG6769S6





If the appliance will be a hob, the following w (including substructure must be taken into ac

Hob type	mi
	fit
Induction hob	37
Full surface Induction hob	47
Gas hob	30
Electric hob	27

