

**Series 2, free-standing fridge-freezer  
with freezer at bottom, 186 x 60 cm,  
Stainless steel look  
KGN36NLEA**



**The NoFrost bottomfreezer with MultiBox:  
Has enough room for all your food**

- **Perfect Fit:** place your fridge right next to walls or in a niche.
- **Keep your groceries in perfect view.**

|                                                                      |                         |
|----------------------------------------------------------------------|-------------------------|
| Energy Efficiency Class (Regulation (EU) 2017/1369):                 | E                       |
| Average annual energy consumption in kilowatt hour per year (kWh/a): | 239 kWh/annum           |
| Sum of volume of frozen compartments:                                | 89 l                    |
| Sum of volume of chill compartments:                                 | 216 l                   |
| Airborne acoustical noise emissions :                                | 42 dB(A) re 1 pW        |
| Airborne acoustical noise emission class:                            | D                       |
| Built-in / Free-standing:                                            | Free-standing           |
| Number of compressors:                                               | 1                       |
| Number of independent cooling systems:                               | 1                       |
| Width of the appliance:                                              | 600 mm                  |
| Height:                                                              | 1860 mm                 |
| Depth of the product:                                                | 660 mm                  |
| Net weight:                                                          | 61.5 kg                 |
| Door panel options:                                                  | Not possible            |
| Door hinge:                                                          | Right reversible        |
| Number of Adjustable Shelves in fridge compartment:                  | 3                       |
| Shelves for Bottles:                                                 | No                      |
| Frost free system:                                                   | Fridge and freezer      |
| Interior ventilator:                                                 | No                      |
| Reversible Door Hinge:                                               | Yes                     |
| Length electrical supply cord:                                       | 240 cm                  |
| Noise level:                                                         | 42 dB(A) re 1 pW        |
| Multi-Flow Air Tower:                                                | Yes                     |
| Fast cooling switch:                                                 | No                      |
| Fast freezing function:                                              | Yes                     |
| Temperature Controlled Drawer:                                       | No                      |
| Humidity Control Drawer:                                             | No                      |
| Number of Door Bins - Refrigerator:                                  | 4                       |
| Door bin adjustability - Refrigerator:                               | No                      |
| Tilt-out door bins in fridge:                                        | No                      |
| Gallon wide door bins:                                               | Yes                     |
| Number of Gallon storage:                                            | 1                       |
| Motorized Shelf:                                                     | No                      |
| Material of the shelves:                                             | Safety glass            |
| Door opened indicator freezer:                                       | No                      |
| Automatic motor-driven ice-maker:                                    | No                      |
| Connection rating:                                                   | 100 W                   |
| Fuse protection:                                                     | 10 A                    |
| Voltage:                                                             | 220-240 V               |
| Frequency:                                                           | 50 Hz                   |
| Storage Period in Event of Power Failure (h):                        | 12 h                    |
| Door panel options:                                                  | Not possible            |
| Noise level:                                                         | 42 dB(A) re 1 pW        |
| ENERGY STAR® certified:                                              | No                      |
| Plug type:                                                           | Gardly plug w/ earthing |
| Required cutout/niche size for installation (in):                    | x                       |
| Dimensions of the packed product:                                    | 75.70 x 25.74 x 30.31   |
| Net weight:                                                          | 136.000 lbs             |
| Gross weight:                                                        | 148.000 lbs             |



## **Series 2, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Stainless steel look KGN36NLEA**

### **The NoFrost bottomfreezer with MultiBox: Has enough room for all your food**

---

#### **Highlights**

- Dimensions: 1860x600x660 mm
- Energy Efficiency Class (Regulation (EU) 2017/1369): E
- NoFrost
- Sum of volume of chill compartments: 216 l
- Sum of volume of frozen compartments: 89 l
- Airborne acoustical noise emissions : 42 dB(A) re 1 pW
- List of warnings: Open door of fridge compartment, Temperature rise

#### **General**

- Main colour of product: Stainless steel look
- Door hinge: Right reversible
- Door handle type: integrated horizontal handle
- Automatic defrosting: Total No Frost
- Dispenser: Not applicable
- Type of control setting and signalling devices: Button
- Energy Efficiency Class (Regulation (EU) 2017/1369): E
- Average annual energy consumption in kilowatt hour per year (kWh/a): 239 kWh/annum
- Sum of volume of chill compartments: 216 l
- Sum of volume of frozen compartments: 89 l
- Airborne acoustical noise emissions : 42 dB(A) re 1 pW
- Airborne acoustical noise emission class: D
- Climate Class: Extended temperate, Subtropical, Temperate, tropical
- Included accessories: 1 x ice cube tray

#### **Size and weight**

- Dimensions: 1860x600x660 mm
- Dimensions of the packed product (HxWxD): 1923x654x770 mm
- Net weight: 61.5 kg
- Gross weight: 67.2 kg
- Length electrical supply cord: 240 cm

#### **Specific Features**

- Flex Interior
- Type of bottle rack: Without
- List of warnings: Open door of fridge compartment, Temperature rise
- Total No Frost
- Type of display: LED indication
- superFreezing

#### **Cooling**

- Number of shelves in fridge compartment: 4
- Number of Adjustable Shelves in fridge compartment: 3
- Number of Door Bins - Refrigerator: 4
- Light Wattage - Refrigerator: LED with soft start


#### **Freezing**

- Star Rating: 4
- Storage Period in Event of Power Failure (h): 12 h
- Freezing drawers (Stck): 3
- Number of freezing flaps (Stck): 0
- No. of ice cube trays: 1

#### **Connectivity**


**Series 2, free-standing fridge-freezer  
with freezer at bottom, 186 x 60 cm,  
Stainless steel look  
KGN36NLEA**

| Appliance name       | a    | b   | c   | d   | e   | f    | g   |
|----------------------|------|-----|-----|-----|-----|------|-----|
| KGN36 (Inner handle) | 1860 | 600 | 660 | 590 | 600 | 1210 | 660 |
| KGN36 (Outer handle) | 1860 | 600 | 660 | 590 | 640 | 1210 | 700 |



| Specification                            |
|------------------------------------------|
| a Height                                 |
| b Width                                  |
| c Depth with door closed, without handle |
| d Cabinet depth                          |
| e Width with door opened to 90°          |
| f Depth with door opened                 |
| g Depth with door closed, with handle    |

measurements in mm



| Appliance name        | A    | B  | C   | D   |
|-----------------------|------|----|-----|-----|
| KGN33, 36, 39, 46, 49 | 0/65 | 20 | 590 | 125 |
| KGF39, 49             | 0/65 | 20 | 590 | 125 |

**Dimension A:**  
In models with vertical integrated handles,  
in order to open easily, a minimum distance  
of 65 mm is needed.

measurements in mm