

**Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XIDP**



**The NoFrost bottomfreezer with VitaFresh: Keeps your fresh foods fresh longer.**

- **Perfect Fit:** place your fridge right next to walls or in a niche.
- **LED interior light:** Illuminates the refrigerator evenly and glare-free, and lasts for its entire life.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **Automatic Super Freezing function:** optimal for freezing smaller food load faster whilst protecting your frozen items from defrosting, thanks to the detection of temperature increase and the automatic decrease of temperature
- **Easy Access Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.

Energy Efficiency Class (Regulation (EU) 2017/1369):	..... D
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	.....207 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369):	..... 108 l
Sum of volume of chill- and unfrozen compartments (EU 2017/1369):	..... 330 l
Airborne acoustical noise emissions (EU 2017/1369):	..38 dB(A) re 1 pW
Airborne acoustical noise emission class (EU 2017/1369):	..... C
Built-in / Free-standing:	.....Free-standing
Number of compressors:	..... 1
Number of independent cooling systems:	..... 2
Width of the appliance:	..... 700 mm
Height:	..... 2030 mm
Depth of the product:	..... 670 mm
Net weight:	.....86.7 kg
Door panel options:	..... Not possible
Door hinge:	..... Right reversible
Number of Adjustable Shelves in fridge compartment:	..... 4
Shelves for Bottles:	..... Yes
Frost free system:	..... Freezer
Interior ventilator:	..... No
Reversible Door Hinge:	.....Yes
Length electrical supply cord:	..... 240.0 cm
Noise level:	.....38 dB(A) re 1 pW
Multi-Flow Air Tower:	..... Yes
Fast cooling switch:	.....Yes
Fast freezing switch:	.....Yes
Temperature Controlled Drawer:	.....No
Humidity Control Drawer:	.....Yes
Number of Door Bins - Refrigerator:	.....4
Door bin adjustability - Refrigerator:	..... Yes
Tilt-out door bins in fridge:	.....Yes
Gallon wide door bins:	..... Yes
Number of Gallon storage:	..... 1
Motorized Shelf:	.....
Material of the shelves:	..... Safety glass
Door opened indicator freezer:	.....No
Automatic motor-driven ice-maker:	..... No
Connection rating:	..... 100 W
Fuse protection:	..... 10 A
Voltage:	..... 220-240 V
Frequency:	..... 50 Hz
Storage Period in Event of Power Failure (h):	..... 16 h
Door panel options:	..... Not possible
Noise level:	.....38 dB(A) re 1 pW
Energy Star Qualified:	.....No
Plug type:	..... Gardy plug w/ earthing
Required cutout/niche size for installation (in):	.....x
Dimensions of the packed product:	..... 82.28 x 29.76 x 29.96
Net weight:	..... 191.000 lbs



Gross weight: ..... 204.000 lbs



## **Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XIDP**

**Environment and Safety**  
**Installation**  
**General Information**

### **The NoFrost bottomfreezer with VitaFresh: Keeps your fresh foods fresh longer.**

---

#### **Performance and consumption**

##### **Design and Styling**

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)
- vertical handle
- LED with Soft Start in fridge section

##### **Convenience & Safety**

- NoFrost - never again defrosting!
- Separate, electronic temperature control, LED indicators
- Two Cooling Systems
- Super Cooling: automatic deactivation
- Super Freezing: Manual/automatic activation
- Optical and acoustic door open warning system
- Visual / acoustic

##### **Fridge Compartment**

- Multi Airflow-System
- 5 safety glass shelves of which 4 x EasyAccess Shelf, extendable
- Bottle grid
- 1 door shelf large, 3 door shelf small

##### **Freshness System**

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.
- , 2 VitaFresh 0°C drawers with temperature control - Fish and meat stay fresh for longer

##### **Freezer Section**

- 3 transparent freezer drawers
- Vario Zone - removable safety glass shelves for extra space!

##### **Dimensions**

- Dimensions ( H x W x D): 203.0 cm x 70.0 cm x 67.0 cm

##### **Technical Information**

- Door right hinged, reversible
- Height adjustable front feet
- Connected load: 100 W
- Nominal voltage: 220 - 240 V


##### **Accessories**

- egg tray
- ice cube tray

##### **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

**Series 4, free-standing fridge-freezer  
with freezer at bottom, 203 x 70 cm,  
Stainless steel (with anti-fingerprint)  
KGN49XIDP**




Appliance name	a	b	c	d	e	f	g	h
KGN 46 (Outer handle)	1860	700	670	590	740	1310	710	12
KGN 46 (Inner handle)	1860	700	670	590	710	1310	670	12
KGN 49 (Outer handle)	2030	700	670	590	740	1310	710	12
KGN 49 (Inner handle)	2030	700	670	590 <td 710	1310	670	12	

Description

- a) Height
- b) Width
- c) Depth with door closed, without handle
- d) Cabinet depth
- e) Width with door opened to 90°
- f) Depth with door opened, without handle
- g) Depth with door closed, with handle
- h) Air gap for installation in recess or fitted cabinet


measurements in mm



Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

**Dimension A:**  
In models with vertical integrated handles, in order to open easily, a minimum distance of 65 mm is needed.

measurements in mm



If the appliance is fitted directly to the wall, all of the drawers can be pulled out fully.  
\* With and without external handle.