

**Series 4, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge  
KIV86VSE0**



KSZB6R00 Bottle Rack  
KSZGGM00 Butter box

- **LED lighting:** keep your groceries in perfect view.
- **Low Frost:** defrost less often thanks to lower ice formation - saves work and is energy-efficient.

Energy Efficiency Class (Regulation (EU) 2017/1369):	..... E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	..... 229 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369):	..... 84 l
Sum of volume of chill- and unfrozen compartments (EU 2017/1369):	..... 183 l
Airborne acoustical noise emissions (EU 2017/1369):	..... .35 dB(A) re 1 pW
Airborne acoustical noise emission class (EU 2017/1369):	..... B
Built-in / Free-standing:	..... Built-in
Number of compressors:	..... 1
Number of independent cooling systems:	..... 1
Width of the appliance:	..... 541 mm
Height:	..... 1772 mm
Depth of the product:	..... 548 mm
Net weight:	..... 51.3 kg
Min. required niche size for installation (HxWxD):	..... 1775.0 x 560 x 550 mm
Door panel options:	..... Not possible
Door hinge:	..... Right reversible
Number of Adjustable Shelves in fridge compartment:	..... 3
Shelves for Bottles:	..... Yes
Frost free system:	..... No
Interior ventilator:	..... No
Reversible Door Hinge:	..... Yes
Length electrical supply cord:	..... 230.0 cm
Noise level:	..... .35 dB(A) re 1 pW
Multi-Flow Air Tower:	..... No
Fast cooling switch:	..... No
Fast freezing switch:	..... Yes
Temperature Controlled Drawer:	..... No
Humidity Control Drawer:	..... No
Number of Door Bins - Refrigerator:	..... 3
Door bin adjustability - Refrigerator:	..... Yes
Tilt-out door bins in fridge:	..... Yes
Gallon wide door bins:	..... Yes
Number of Gallon storage:	..... 1
Motorized Shelf:	..... No
Material of the shelves:	..... Safety glass
Door opened indicator freezer:	..... No
Automatic motor-driven ice-maker:	..... No
Fuse protection:	..... 10 A
Voltage:	..... 220-240 V
Frequency:	..... 50 Hz
Storage Period in Event of Power Failure (h):	..... 9 h
Door panel options:	..... Not possible
Noise level:	..... .35 dB(A) re 1 pW
Energy Star Qualified:	..... No
Plug type:	..... GARDY plug w/ earthing
Required cutout/niche size for installation (in):	..... x
Dimensions of the packed product:	..... 72.45 x 24.01 x 25.19
Net weight:	..... 113.000 lbs
Gross weight:	..... 124.000 lbs



## Series 4, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIV86VSE0

- KIV86VSE0
- easy Installation

### Performance and consumption

#### Design and Styling

- LED interior light in fridge section

#### Convenience & Safety

- LED electronic control
- Super Freezing: manual activation
- Super Cooling: No
- Acoustic open door warning system

#### Fridge Compartment

- 4 safety glass shelves, of which 3 are height adjustable
- 3 door bins

#### Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

#### Freezer Section

- 3 transparent freezer drawers, incl.1 BigBox

#### Dimensions

- Dimensions ( H x W x D): 177.2 cm x 54.1 cm x 54.8 cm
- Niche Dimension (H x W x D): 177.5 cm x 56.0 cm x 55.0 cm

#### Technical Information

- Door right hinged, reversible
- Nominal voltage: 220 - 240 V

#### Accessories

- egg tray
- ice cube tray

#### Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

#### Environment and Safety



#### Installation

#### General Information


- EU19\_EEK\_D: E
- Total Volume : 267 l
- Net Fridge Volume : 183 l
- Net Freezer Volume : 84 l
- Net 4\* compartment volume : 84 l
- Freezing capacity 24h : 4.2 kg
- Annual Energy Consumption: 229 kWh/a
- Climate Class: SN-ST
- yes
- Noise Level : 35 dB
- Temperature rise time : 9 H
- Low Frost
- Type of hinge: Follow-door

**Series 4, built-in fridge-freezer with  
freezer at bottom, 177.2 x 54.1 cm,  
sliding hinge  
KIV86VSE0**

measurements in mm



A: Air  
B: Air  
B1  
A1



The specified unit doc  
are valid for a door ga

