

Serie | 4, Wall-mounted cooker hood, 90 cm, Stainless steel DEE928BSG





The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.

Тес	hnical	Data

Typology :	Chimney			
Length electrical supply cord (cm) :	150			
Net weight (kg) :	22.586			
Type of control :	Electronic			
Number of speed settings :	3			
Number of lights :	2			
Diameter of air outlet (mm) :	180			
Grease filter material :	Washable aluminium			
Odour filter :	No			
Operating Mode :	Convertible			
Optional accessories :	DHZ5705, DHZ5706			
Type of lamps used :	LED			
Grease filter type :	Kassette			
Connection Rating (W) :	206			
Voltage (V) :	220-240			
Frequency (Hz) :	50			
Plug type :	GB plug			
Installation typology :	Wall-mounted			
Material body :	Stainless steel			
Plug type :	GB plug			
Dimensions of the product, with chimney (if exists) (in) : $/ x x$				
Dimensions of the packed product (in) :	26.96 x 29.68 x 39.17			
Net weight (lbs) :	50			
Gross weight (lbs) :	77			
Motor location : Integrated motor in hood chimne				
No-return airflow flap :	No			
Length electrical supply cord (cm) :	150			
Dimensions of the product, with chimney (if exists) (mm) :				
67	78-1168 x 895.0 x 530.0			

Dimensions of the packed product (HxWxD) (mm) :

	685 x 754 x 995
Net weight (kg) :	22.586
Gross weight (kg) :	35.0





Serie | 4, Wall-mounted cooker hood, 90 cm, Stainless steel DEE928BSG

The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.

Design

- Control elements: Push buttons
- Appliance surface: Stainless steel

Operating and power

- Max. extraction rate: 1000 m3/h
- Noise level: 71 dB
- Archimedes air channel, strong and quiet

Comfort

- Low noise design
- Integrative chimney, easy to clean

Technical Information

- Appliance width: 895 mm * Appliance depth: 530 mm * Appl height exhaust air (mm): 678-1048
- Connected load: 206 W



Serie | 4, Wall-mounted cooker hood, 90 cm, Stainless steel DEE928BSG