

**Serie | 4, Wall-mounted cooker hood,  
90 cm  
DEE928PSG**



**The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.**

**Technical Data**

Typology :	Chimney
Length electrical supply cord (cm) :	150
Net weight (kg) :	22.586
Type of control :	Electronic
Number of speed settings :	3
Number of lights :	2
Diameter of air outlet (mm) :	180
Grease filter material :	Washable aluminium
Odour filter :	No
Operating Mode :	Convertible
Optional accessories :	DHZ5705, DHZ5706
Type of lamps used :	LED
Grease filter type :	Kassette
Connection Rating (W) :	206
Voltage (V) :	220-240
Frequency (Hz) :	50
Plug type :	GB plug
Installation typology :	Wall-mounted
Material body :	Stainless steel
Plug type :	GB plug
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	26.96 x 29.68 x 39.17
Net weight (lbs) :	50
Gross weight (lbs) :	77
Motor location :	Integrated motor in hood chimney
No-return airflow flap :	No
Length electrical supply cord (cm) :	150
Dimensions of the product, with chimney (if exists) (mm) :	707-1195 x 895.0 x 530.0
Dimensions of the packed product (HxWxD) (mm) :	685 x 754 x 995
Net weight (kg) :	22.586
Gross weight (kg) :	35.0



## Serie | 4, Wall-mounted cooker hood, 90 cm DEE928PSG

**The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.**

---

### **Design**

- Stainless steel material
- Control elements: Push buttons
- Appliance surface: Stainless steel

### **Operating and power**

- Max. extraction rate: 1000 m<sup>3</sup>/h
- Noise level: 71 dB
- Archimedes air channel, strong and quiet

### **Comfort**

- Low noise design
- Integrative chimney, easy to clean

### **Technical Information**

- Appliance width: 895 mm \* Appliance depth: 530 mm \* Appl height exhaust air (mm): 707-1075
- Connected load: 206 W

**Serie | 4, Wall-mounted cooker hood, 90 cm  
DEE928PSG**

---