

**Serie | 6, Island cooker hood, 90 cm,
Stainless steel
DIB091E51**

A⁺



The island chimney hood: the perfect solution for your cooking island thanks to flexible ceiling mounting.

- **Extraction rate:** at 1000 m³/h, it quickly ensures optimal kitchen air quality
- **Especially quiet:** high performance at just 46 dB
- **LED lighting:** for perfect, very energy-efficient illumination of the hob
- **Intensive speed setting with reset:** automatically resets the hood to normal speed setting after 6 min.

Technical Data

Color chimney :	Stainless steel
Typology :	Chimney
Approval certificates :	CE, VDE
Length electrical supply cord (cm) :	130
Height of the chimney (mm) :	698-878/698-998
Height of product, without chimney (mm) :	46
Net weight (kg) :	28.467
Type of control :	Electronic
Number of speed settings :	3-stage + 2 intensive
Maximum output air extraction (m ³ /h) :	620
Boost position output recirculating (m ³ /h) :	480
Maximum output recirculating air (m ³ /h) :	400
Boost position air extraction (m ³ /h) :	1000
Number of lights :	4
Noise level (dB(A) re 1 pW) :	60
Diameter of air outlet (mm) :	150 / 120
Grease filter material :	Washable aluminium
Odour filter :	No
Operating Mode :	Convertible
Delay Shut off modes :	10M
Optional accessories :	
DHZ1231, DHZ1241, DHZ1246, DHZ1251, DHZ1253, DHZ1256, DHZ5346, DHZ5385, DSZ5201, DSZ6230, DZZ0XX0P0	
Type of lamps used :	LED
Total power of the lamps (W) :	12
Grease filter type :	Kassette
Connection Rating (W) :	272
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	Gardy plug w/ earthing
Installation typology :	Island
Material body :	Stainless steel
Approval certificates :	CE, VDE
Plug type :	Gardy plug w/ earthing
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	32.87 x 24.01 x 40.74
Net weight (lbs) :	63
Gross weight (lbs) :	82
Motor location :	Integrated motor in hood chimney
No-return airflow flap :	No
Length electrical supply cord (cm) :	130
Dimensions of the product, with chimney (if exists) (mm) :	744-1044 x 900 x 600
Dimensions of the packed product (HxWxD) (mm) :	835 x 610 x 1035
Net weight (kg) :	28.467
Gross weight (kg) :	37.0



Serie | 6, Island cooker hood, 90 cm, Stainless steel DIB091E51

The island chimney hood: the perfect solution for your cooking island thanks to flexible ceiling mounting.

- Energy Efficiency Class: A+*
- Average Energy Consumption: 36.9 kWh/year*
- Blower Efficiency Class: A*
- Lighting Efficiency Class: A*
- Grease Filtering Efficiency Class: C*
- Noise min./max. Normal Level: 46/60 dB*

Design

- Island chimney hood
- 90 cm wide
- Ceiling mounted hood
- Electronic controls via Push button controls with digital display

Operation and power

- Twin channel high performance fan motor
- 3-stage + 2 intensive
- Extraction rate according to DIN/EN 61591 ø 15 cm: max. Normal 620 m³/h Intensive 1000 m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air at normal use max.: 60 dB(A) re 1 pW (60 dB(A) re 20 µPa sound pressure)

Comfort:

- Metal grease filter, dishwasher safe
- Suitable for ducted or re-circulated extraction
- Recirculating kit or clean air kit
- 4 x LED 3W
- Light dimmer function
- Light Intensity: 888 lux
- Colour Temperature: 3500 K
- 6 min.
- 10 min.
- Additional noise insulation

Technical information

- Dimensions exhaust air (HxWxD): 744-924 x 900 x 600 mm
- Dimensions recirculating (HxWxD): 744-1044 x 900 x 600 mm
- Dimensions recirculating with CleanAir module (HxWxD): 812-1044 x 900 x 600 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Connected load: 272 W

* In accordance with the EU-Regulation No 65/2014

**Serie | 6, Island cooker hood, 90 cm,
Stainless steel
DIB091E51**

