

**Series 8, Built-in oven, 60 x 60 cm,  
Stainless steel  
HBG655HS1**



- **Flap door with SoftClose:** the oven door closes especially gently and quietly.
- **4D Hot Air:** even heat distribution for perfect results – on any level

1 x enamel baking tray, 1 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638300 3 level telescopic rails, full ext, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

Gross weight:	39.3 kg
Built-in / Free-standing:	Built-in
Cleaning:	EcoClean Direct program, Hydrolytic
Min. required niche size for installation (HxWxD):	585-595 x 560-568 x 550 mm
Dimensions (HxWxD):	595 x 594 x 548 mm
Dimensions of the packed product (HxWxD):	670 x 670 x 680 mm
Control Panel Material:	Stainless steel
Door Material:	Glass
Net weight:	36.9 kg
Usable volume of cavity:	71 l
Cooking method:	4D hot air, Defrost, Full width grill, Hot Air-Eco, Half width grill, Conventional heat, Conventional heat ECO, Pizza setting, low temperature cooking, Bottom heat, Hot air grilling, pre-heating, warming
Number of interior lights:	1
Length electrical supply cord:	120.0 cm
Interior Lights - cavity 1:	1
Pull-out system:	2-level
Included accessories:	1 x enamel baking tray, 1 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1:	2800 W
Convection Element Wattages cavity 1:	2200 W
Energy efficiency rating:	A
Energy consumption per cycle conventional (2010/30/EC):	0.90 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC):	0.74 kWh/cycle
Energy efficiency index (2010/30/EC):	87.1 %
Connection rating:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	60; 50 Hz
Plug type:	Gardy plug w/ earthing
Energy input:	Electric
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	26.37 x 26.37 x 26.77
Net weight:	81.000 lbs
Gross weight:	87.000 lbs
Length electrical supply cord:	120.0 cm
Net weight:	36.9 kg



## **Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG65HS1**

---

### **Heating Functions**

- Oven with 13 heating methods: - 4D hot air - Hot Air Eco - Top/bottom heat - Top/Bottom Eco - Hot air grilling - Full width grill - Half width grill - Pizza setting - Bottom heat - Slow cooking - Defrost setting Plate warming - Hold warm
- Cavity volume: 71 l

### **Design**

#### **Cleaning**

- EcoClean coating: ceiling, back panel, side liners
- Oven cleaning program: ecolyse program

#### **Comfort**

- Automatic programmes
- Electronic clock with timer
- Fast pre-heating function
- Interior halogen light, Switch for oven illumination
- Integral cooling fan

#### **Hook-in racks / rails**

#### **Accessories**

- 1 x universal pan, 1 x combination grid, 1 x enamel baking tray



#### **Environment and Safety**

- Childproof lock Automatic switch off Residual heat indicator Start button Door contact switch

#### **Technical Info**

- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm
- Niche dimension (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- "Please refer to the built-in dimensions provided in the installation drawing"

**Series 8, Built-in oven, 60 x 60 cm,  
Stainless steel  
HBG65HS1**



Space for appliance connection 320 x 115

If the appliance will be used as a hob, the following width (including substructure) must be taken into account.

Hob type	min. fit
Induction hob	300
Full surface Induction hob	400
Gas hob	300
Electric hob	200

