


Series 6, Electric Hob, 60 cm, Black, PKK651FP8E







HEZ32WA00 Wireless food thermometer
HEZ390090 Wok Set consisting of 3 Items
HEZ392617 Intermediate bottom
HEZ9SE030 Set of 2 pots and 1 pan

The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

- **DirectSelect**: Direct, simple selection of the desired cooking zone, power and additional functions.
- The 18 cm cooking zone extendable cooking zone.
- Restart: restores hob settings in case of an unintentional hob switch-off.
- Timer with switch-off function: turns off the assigned cooking zone after the set time.
- Child Lock: locks the control panel to prevent unauthorized use.

Product name/family:
Min. required niche size for installation (HxWxD):45 x 560-560 x 490-500 mm
Width of the appliance:
Dimensions (HxWxD):
Dimensions of the packed product (HxWxD): 95 x 662 x 590 mm
Net weight:7.5 kg
Gross weight:
Residual heat indicator:
Location of control panel: Front
Basic surface material:Ceramic
Color of surface:Black
Length electrical supply cord:
Sealed Burners:No
Heating with booster: Rear left, Front right
Power of 2nd heating element (kW):2.1 ; 2.7 kW
Power of 5th heating element (kW): 1.2 kW
Connection rating:
Voltage:
Frequency: 50; 60 Hz
Energy input:Electric
Plug type:no plug
Appliance Dimensions (h x w x d) (in):x x
Dimensions of the packed product: 3.74 x 23.22 x 26.06
Net weight:
Gross weight:
Total number of positions that can be used at the same time: 3
Length electrical supply cord:
Min. required niche size for installation (HxWxD):45 x 560-560 x 490-500 mm
Dimensions (HxWxD):
Dimensions of the packed product (HxWxD): 95 x 662 x 590 mm
Net weight:
Gross weight: 8.2 kg
0.2 Ng





Series 6, Electric Hob, 60 cm, Black, PKK651FP8E

The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

Design

- 60 cm: space for 3 pots or pans.
- Frameless with facetted edges

Features

- TouchControl MultiTouch: directly control the power with the imprinted touch bar.
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Switch off timer for every cooking zone: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

Flexibility of cooking zones

- Ring zone double: use regular or larger cookware on the expandable cooking zone.
- Cooking zone rear right: 145 mm , 1.2 KW $\,$
- Cooking zone rear left: 210 mm, 275 mm, 2.1 KW (max. power 3.4 KW)
- Cooking zone front right: 120 mm, 180 mm, 1 KW (max. power 2.3 KW)

Time saving & efficiency

- PowerBoost in the front zone: boil water more quickly thanks to 20% more energy than at the highest standard level.
- ReStart Function: in case of unintentional switch-off, restore all previous settings by switching on the hob again within 4 seconds.

Safety

- Digital 2 stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the hob.
- Wipe protection function: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Safety switch-off: for safety reasons, heating stops after a preset time without interaction.
- Energy consumption display: shows the electricity consumption of the last cooking process.


Installation

- Dimensions of the product (HxWxD mm): 45 x 592 x 522
- Required niche size for installation (HxWxD mm) : 45 x 560 x (490 500)
- Min. worktop thickness: 16 mm
- Connected load: 5.75 KW
- PowerManagement Function: limit the maximum power if needed (depends on fuse protection of electric installation).
- Power cord: 1 m, loose insert in packaging



Series 6, Electric Hob, 60 cm, Black, PKK651FP8E

measurements in mm



- **A**: Minimum distance from the hob cut-out to the wall.
- B: Recessed depth
 C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.