

**Serie | 8, Freestanding Dishwasher, 60 cm, Stainless steel, lacquered SMS88TI03E**



**Our ActiveWater 60 with Zeolith® Drying: Provides perfect drying results thanks to 3D air flow, even on plastic dishes.**

- **PerfectDry based on Zeolith®:** perfect drying results with 3D Airflow even on plastic dishes
- **TFT-Display:** intuitive program selection with plain text, real-time display and status information.
- **AquaStop:** Bosch's warranty in case of water damage – throughout the lifetime of the appliance.\*
- **Silence Program and SuperSilence:** remarkably quiet at 44 dB, more so with the Silence program.
- **Rackmatic:** top basket adjustable on three levels offers additional space, especially for tall dishes.

**Technical Data**

Cleaning performance : A  
 Water consumption : 7.5 l  
 Total annual energy consumption 220 days : 161 kWh  
 Total annual water consumption 220 days : 1650 l  
 Built-in / Free-standing : Free-standing  
 Removable top : Yes  
 Door panel options : Not possible  
 Height of removable worktop : 30 mm  
 Height of the product : 845 mm  
 Adjustable feet : Yes - all  
 Maximum adjustability feet : 20 mm  
 Net weight : 53.7 kg  
 Gross weight : 56.0 kg  
 Connection Rating : 2400 W  
 Fuse protection : 10 A  
 Voltage : 220-240 V  
 Frequency : 50; 60 Hz  
 Length electrical supply cord : 175 cm  
 Plug type : GARDY plug w/ earthing  
 Length inlet hose : 165 cm  
 Length outlet hose : 190 cm  
 Hidden heating element : Yes  
 Water protection system description : Triple water protection 24h  
 Child safety devices : Childlock appliance  
 Water softener : Yes  
 Top basket type : high TP  
 Adjustable upper basket : Rackmatic 3-stage  
 Bottom basket type : high TP  
 3rd Rack : 3rd Rack 2.1  
 Optional accessories : SGZ1010, SMZ1051EU, SMZ2014, SMZ5100, SMZ5300  
 Included accessories 2 : no  
 Number of place settings : 13  
 Colour / material of the panel : Stainless steel colour, lacqu.  
 Color / Material body : Stainless steel, lacquered  
 Color / Material top : Stainless steel colour, lacqu.  
 Dimensions of the product (HxWxD) : 845 x 600 x 600 mm  
 Dimensions of the packed product (HxWxD) : 880 x 680 x 670 mm



## Serie | 8, Freestanding Dishwasher, 60 cm, Stainless steel, lacquered SMS88TI03E

### Our ActiveWater 60 with Zeolith® Drying: Provides perfect drying results thanks to 3D air flow, even on plastic dishes.

#### Features

- ActiveWater hydraulic system
- Zeolite-Drying
- BLDC motor
- Water management system
- AntiFingerprint surface coating
- DosageAssist
- AquaSensor, Load-Sensor
- Detergent Automation
- Heat exchanger.
- Glass care system
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel tub
- EmotionLight
- Push button top controls
- TFT Display inside
- Acoustic end of cycle indicator
- Real Time Clock
- black/white/red
- Colour of LED: red

#### Specifications

- Capacity: 12+1 place settings
- Energy Efficiency Class: A+++
- Drying Efficiency Class: A
- Energy consumption in programme Eco 50 °C: 211 kWhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50 °C: 0.73 kWh
- Power consumption off-mode / left-on mode: 0.5 W / 0.5 W
- Water consumption in programme Eco 50 °C: 2100 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Water consumption in programme Eco 50 °C: 7.5 l
- The information relates to the programme Eco 50 °C. This programme is suitable to clean normally soiled tableware and

is the most efficient programme in terms of combined energy and water consumption.

- Programme time in programme Eco 50 °C: 225 min
- Duration of the left-on mode: 0 min
- Noise level: 44 dB(A) re 1 pW
- Water consumption in programme Auto 45-65°C: from 6 l on, depending on degree of soiling
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

#### Programmes

- 8 programmes: Auto 35-45 °C, Auto 45-65 °C, Auto 65-75 °C, Super 60 °C, Eco 50 °C, Night Program 50 °C, Quick wash 45 °C, Pre-Rinse
- 5 special options: brilliant dry, IntensiveZone, VarioSpeedPlus, Half Load, HygienePlus
- 6 cleaning temperatures
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator

#### Baskets and Racks

- silver/silver
- Rackmatic height-adjustable top basket (3 stage)
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 lever (long/short)
- 2 cup shelves in bottom basket
- Glass rack in bottom basket

#### Safety

- AquaStop with guarantee
- Childproof door lock
- Servo-lock

**Serie | 8, Freestanding Dishwasher, 60 cm,  
Stainless steel, lacquered  
SMS88TI03E**

measurements in mm



socket  
( ) values with extension kit