

**Series 8, Freestanding Dishwasher, 60 cm, silver inox SMS8YCI01E**



- SMZ5001 Baby care kit
- SMZ5100 Vario-cutlery basket
- SMZ5300 GlassSecure Tray
- SGZ0IC00 Small Item Clip for upper rack
- SGZ1010 inlet and outlet hose extension
- SMZ1051EU Mains cable with EU-Plug 5m
- SMZ2014 Rack insert for stemware dishwasher

**PerfectDry dishwashers for best drying results with an intensive cleaning zone for spotless clean dishes.**

- **PerfectDry** – Perfect drying results using less energy\* – even with hard-to-dry items.
- **Extra Clean Zone:** extra cleaning for items in your top basket.
- **Max Flex Pro baskets:** highest flexibility and protection for your dishes, with superior sliding performance.
- **Silence Plus:** remarkably quiet at 43dB.
- **Home Connect:** home appliances with smart connectivity for an easier everyday life.

Energy label: .....	B
Energy consumption of the eco programme per 100 cycles: ...	65 kWh
Maximum number of place settings: .....	14
Water consumption: .....	9.5 l
Programme duration: .....	3:55 h
Noise level: .....	43 dB(A) re 1 pW
Noise level class: .....	B
Cleaning performance: .....	A
Water consumption: .....	9.5 l
Total annual energy consumption 220 days: .....	163 kWh
Total annual water consumption 220 days: .....	2090 l
Built-in / Free-standing: .....	Free-standing
Removable top: .....	Yes
Door panel options: .....	Not possible
Height of removable worktop: .....	30 mm
Height of the appliance: .....	845 mm
Adjustable feet: .....	Yes - all
Maximum adjustability feet: .....	20 mm
Adjustable plinth: .....	No
Net weight: .....	54.6 kg
Gross weight: .....	56.5 kg
Connection rating: .....	2400 W
Fuse protection: .....	10 A
Voltage: .....	220-240 V
Frequency: .....	50; 60 Hz
Length electrical supply cord: .....	175.0 cm
Plug type: .....	Gardy plug w/ earthing
Length inlet hose: .....	165 cm
Length outlet hose: .....	190 cm
Hidden heating element: .....	Yes
Water protection system description: .....	Triple water protection 24h
Child safety devices: .....	No
Water softener: .....	Yes
Top basket type: .....	R4
Adjustable upper basket: .....	Rackmatic 3-stage
Bottom basket type: .....	R4
3rd rack: .....	VarioDrawer Pro
Optional accessories: .....	SMZ5001, SMZ5100, SMZ5300, SGZ0IC00, SGZ1010, SMZ1051EU, SMZ2014
Included accessories 2: .....	no
Number of place settings: .....	14
Colour / material of the panel: .....	Stainless steel colour, lacqu.
Color / Material body: .....	Stainless steel, lacquered
Color / Material top: .....	Stainless steel colour, lacqu.
Dimensions of the product (HxWxD): .....	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD): .....	880 x 660 x 670 mm



## **Series 8, Freestanding Dishwasher, 60 cm, silver inox SMS8YCI01E**

**PerfectDry dishwashers for best drying  
results with an intensive cleaning zone for  
spotless clean dishes.**

---

### **Features**

- BLDC motor
- Zeolite-Drying
- Wi-Fi
- Heat exchanger + drying assist
- DosageAssist
- EmotionLight
- AquaSensor
- AquaStop with guarantee

### **Specifications**

- Capacity: 14 place settings
- Energy<sup>2</sup> / Water<sup>3</sup>: 65 kWh / 9.5 litres
- Noise level: 43 dB(A) re 1 pW
- AntiFingerprint surface coating
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel tub
- Detergent Automation
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

### **Programmes**

- 8 Programme: Intensive 70°C, Auto 45-65°C, Eco 50°C, Silence 50°C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse
- Pre-Rinse
- 5 special options: Remote Start, Extra Dry, Intensive Zone, Hygiene+, SpeedPerfect+
- Machine Care
- Silence on Demand (via app)
- Electronic delay timer: 1-24 hours

### **Baskets and Racks**

- Cutlery drawer 2.1
- spinners signal red
- Rackmatic height-adjustable top basket (3 stage)
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Rack Stopper to prevent derailing of lower basket
- Low friction wheels on lower rack and 3rd loading level
- Glass rack in bottom basket

## Series 8, Freestanding Dishwasher, 60 cm, silver inox SMS8YCI01E

measurements in mm



socket  
( ) values with extension kit