

**Series 8, Built-in warming drawer, 60  
x 14 cm, Stainless steel  
BIC630NS1B**



**Preheat plates and cups, so that your  
dishes stay hot longer. Keep warm, for  
keeping cooked dishes warm.**

- **Cleaning convenience:** tempered glass hotplate for easy cleaning
- **Push-Pull mechanism:** easy opening and closing thanks to a clever spring mechanism.

---

Built-in / Free-standing: ..... Built-in  
Maximum number of plates: ..... 12  
Maximum number of espresso cups: ..... 64  
Dimensions: ..... 140x594x548 mm  
Dimensions of the packed product (HxWxD): ..... 200 x 640 x 660 mm  
Min. required niche size for installation (HxWxD): ..... 140 x 560 x 550 mm  
Time control: ..... No  
Fuse protection: ..... 10 A  
Voltage: ..... 220-240 V  
Frequency: ..... 60; 50 Hz  
Plug type: ..... GB plug  
Required cutout/niche size for installation (in): ..... x  
Dimensions of the packed product: ..... 7.87 x 25.19 x 25.98  
Net weight: ..... 34.000 lbs  
Gross weight: ..... 39.000 lbs  
Length electrical supply cord: ..... 150.0 cm  
Min. required niche size for installation (HxWxD): ..... 140 x 560 x 550 mm  
Dimensions: ..... 140x594x548 mm  
Dimensions of the packed product (HxWxD): ..... 200 x 640 x 660 mm  
Net weight: ..... 15.5 kg  
Gross weight: ..... 17.5 kg

---



## **Series 8, Built-in warming drawer, 60 x 14 cm, Stainless steel BIC630NS1B**

**Preheat plates and cups, so that your  
dishes stay hot longer. Keep warm, for  
keeping cooked dishes warm.**

---

### **Design**

- Rotary control dials
- Heating plate made of toughened glass

### **Comfort**

- User-friendly electronics: extremely
- easy and comfortable operation
- Loading up to 25 kg
- Drawer interior volume:
  - 12 x 24 cm dinner plates - 12 x 10 cm soup bowls - 1 x 9 cm serving dish - 1 x 17 cm serving dish - 2 x 32 cm serving plate
- Temperature control in 4 levels: ca. 40 °C - 80 °C (glass surface temperature)
- push&pull


### **Technical Information**

- Length of mains cable: 150 cm
- Electrical connection rating: 810 W
- Nominal voltage: 220 - 240 V

### **Technical information:**


- Dimensions of the product (HxWxD mm) : 140 x 594 x 548
- Niche dimension (hxwxh): 140 mm x 560 mm - 568 mm x 550 mm
- We recommend you to choose complementary products within SER8, in order to assure an optimal design combination of your Built-In appliances.
- "Please reference the built-in dimensions provided in the installation drawing"

**Series 8, Built-in warming drawer, 60  
x 14 cm, Stainless steel  
BIC630NS1B**



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm