

Series 4, Telescopic cooker hood, 90 cm, Stainless steel DHI923GSG



DHZ2600 Standard odor filter

The telescopic cooker hood that disappears into your upper cabinet, giving you a sleek kitchen front.

- **3-Speed Power Level Options To Suit Your Cooking Style And Recipes**
- **LED Illumination: The energy-saving lighting provides white and good lighting for the hob area.**
- **Dishwasher safe aluminum mesh filters**
- **Ducted or Non-ducted Options**

Typology: Pull-out
 Length electrical supply cord: 200.0 cm
 Required niche size for installation (HxWxD): ... 140mm x 850.0mm x 280mm mm
 Net weight:8.3 kg
 Type of control:mechanical
 Number of speed settings: 3
 Max. air extraction:380 m³/h
 Max. air recirculation: 200 m³/h
 Number of lights: 2
 Diameter of air outlet: 120 mm
 Grease filter material:Washable aluminium
 Odour filter: No
 Operating Mode:Convertible
 Optional accessories: DHZ2600
 Type of lamps used: LED
 Total power of the lamps: 6 W
 Grease filter type:Kassette
 Clean filter reminders:No
 Connection rating: 136 W
 Fuse protection:10 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: GB plug
 Installation typology: Built-in
 Material body: Lacquered
 Plug type: GB plug
 Dimensions of the product, with chimney (if exists) (in):x x
 Dimensions of the packed product: 9.44 x 13.77 x 37.00
 Net weight:18.000 lbs
 Gross weight: 22.000 lbs
 Motor location: Integrated motor in hood body
 No-return airflow flap: No
 Length electrical supply cord: 200.0 cm
 Dimensions of the product, with chimney (if exists):180 x 898.0 x 300.0 mm
 Dimensions of the packed product (HxWxD): 240 x 350 x 940 mm
 Net weight:8.3 kg
 Gross weight: 9.8 kg



4 242002 780245

Series 4, Telescopic cooker hood, 90 cm, Stainless steel DHI923GSG

The telescopic cooker hood that disappears into your upper cabinet, giving you a sleek kitchen front.

Performance

- Extraction rate and LED light
- Max. extraction rate according to DIN/EN 61591:380 m³/h
- 3 speeds

Design

Comfort

- 2 x LED spot 3W
- Removable metal grease filter, dishwasher safe
- Energy Efficiency Class: D

Technical information:

- Suitable for ducted or recirculating operation
- Dimensions of the product, with chimney (if exists) (HxWxD mm): 180 x 898 x 300
- Required niche size for installation (HxWxD mm): 140 x 850 x 280
- 120 mm diameter pipe
- Length of mains cable: 200 cm
- Plug type: GB plug
- Electrical connection rating: 136 W
- 90 cm Telescopic Hood Hood, Silver metallic
- push buttons for extractor speeds and light
- 3 fan speeds


Functions

- 90 cm Telescopic hood, Stainless steel

Safety functions

Design

**Series 4, Telescopic cooker hood, 90
cm, Stainless steel
DHI923GSG**



measurements in mm