Series 8, Built-in oven, 60 x 60 cm, Stainless steel
HBG6764S6B

2 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638270 2 level telescopic rails, full ext,pyro, HEZ638370 3 level telescopic rails, full ext,pyro, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L

The built-in oven with PerfectBake and PerfectRoast: you get perfect baking and roasting results – automatically.

- **Flap door with SoftOpen and SoftClose**: the oven door opens and closes especially gently and quietly.
- **4D Hot Air**: even heat distribution for perfect results – on any level.
- **TFT touchscreen control**: easy-to-use thanks to the control ring with full text and images.
- **Home Connect**: home appliances with smart connectivity for an easier everyday life.
- **Pyrolytic self-cleaning**: Automatically cleans the oven, just wipe out the ash.

Gross weight: .... 40.9 kg
Built-in / Free-standing: .... Built-in
Integrated Cleaning system: .... Pyrolytic+Hydrolytic
Min. required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Dimensions: .... 595 x 594 x 548 mm
Dimensions of the packed product (HxWxD): ..... 670 x 670 x 680 mm
Control Panel Material: .... Stainless steel
Door Material: .... Glass
Net weight: .... 38.5 kg
Usable volume of cavity: .... 71 l
Cooking method: .....4D hot air, Defrost, Full width grill, Hot Air-Eco, Half width grill, Conventional heat, Conventional heat ECO, Pizza setting, low temperature cooking, Bottom heat, Hot air grilling, pre-heating, warming
Number of interior lights: 1
Length electrical supply cord: .... 120.0 cm
Interior Lights - cavity 1: 1
Pull-out system: 1-level
Included accessories: ....2 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1: .... 2800 W
Convection Element Wattages cavity 1: .... 2200 W
Energy efficiency rating: .... A+
Energy consumption per cycle conventional (2010/30/EC): ....0.87 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.69 kWh/cycle
Energy efficiency index (2010/30/EC): .... 81.2 %
Connection rating: .... 3600 W
Fuse protection: .... 16 A
Voltage: .... 220-240 V
Frequency: .... 50; 60 Hz
Plug type: .... no plug
Alternative colors available: HBG6764B6B
Energy input: .... Electric
Required cutout/niche size for installation (in): x
Dimensions of the packed product: .... 26.37 x 26.37 x 26.77
Net weight: .... 85.000 lbs
Gross weight: .... 90.000 lbs
Length electrical supply cord: .... 120.0 cm
Net weight: .... 38.5 kg

---

4 242002 932491

Series 8, Built-in oven, 60 x 60 cm, Stainless steel
HBG6764S6B

The built-in oven with PerfectBake and PerfectRoast: you get perfect baking and roasting results – automatically.

Heating Functions

- Oven with 13 heating methods: - 4D hot air, - Hot Air-Eco, - Conventional heat, - Conventional heat ECO, - Hot air grilling, - Full width grill, - Half width grill, - Pizza setting, - Bottom heat, - Low temperature cooking, - Defrost setting, - Preheating, - Keep warm
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

Design
- LED display control (red)

Comfort
- Supporting systems: Dish categories
- PerfectRoast multipoint temperature probe
- PerfectBakebaking sensor
- Pyrolytic self-cleaning function
- Electronic clock
- Rapid heating-up
- Halogen interior lighting switch for oven illumination
- Integral cooling fan
- Child lock, Residual heat indicator, Automatic switch off, Start and Stop button, door contact switch, Automatic door lock during pyrolysis

Standard Accessories
- 2 x combination grid, 1 x universal pan

Technical Information
- Dimensions of the product (HxWxD mm) : 595 x 594 x 548
- Required niche size for installation (HxWxD mm): 585 - 595 x 560 - 568 x 550
- Length of mains cable: 120 cm
- Electrical connection rating: 3600 W
- "Please reference the built-in dimensions provided in the installation drawing"
- HomeConnect ready on WLAN

Series 8, Built-in oven, 60 x 60 cm, Stainless steel
HBG6764S6B

19,5
405
595
max. 45
577
594
548
585⁺

Space for appliance
connection 320 x 115

If the appliance will be
a hob, the following w
(including substructur
must be taken into ac

min. 600⁺⁴

Hob type	mi
	fit
Induction hob	37
Full surface Induction hob	47
Gas hob	30
Electric hob	27

19,5
405
595
max. 45
577
594
548