

**Series 4, French door bottom
freezer, multi door, 183 x 90.5 cm,
Brushed steel anti-fingerprint, Total
No Frost
KFN96APEAG**



- **VitaFresh XXL <0°C>**: Keeps food fresh for longer in extra-large climate-controlled fridge drawers.
- **XXL capacity**: extra space for your food when you need it.
- **LED lighting**: keep your groceries in perfect view.
- **Multiairflow system**: Minimises fluctuating temperatures by ensuring optimal and uniform air circulation in the fridge.
- **Connectivity**: Remotely monitor and control your fridge from your smartphone or tablet.

Energy Efficiency Class (Regulation (EU) 2017/1369):	 E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	333 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369):	 200 l
Sum of volume of chill- and unfrozen compartments (EU 2017/1369):	 405 l
Airborne acoustical noise emissions (EU 2017/1369):	38 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369):	 C
Built-in / Free-standing:	Free-standing
Number of compressors:	 1
Number of independent cooling systems:	 1
Width of the appliance:	 905 mm
Height:	 1830 mm
Depth of the product:	 731 mm
Net weight:	118.3 kg
Door panel options:	 Not possible
Door hinge:	left and right
Number of Adjustable Shelves in fridge compartment:	 3
Shelves for Bottles:	 No
Frost free system:	 Fridge and freezer
Interior ventilator:	 Yes
Reversible Door Hinge:	 No
Length electrical supply cord:	 240.0 cm
Noise level:	38 dB(A) re 1pW
Multi-Flow Air Tower:	 Yes
Fast cooling switch:	Yes
Fast freezing switch:	Yes
Temperature Controlled Drawer:	No
Humidity Control Drawer:	No
Number of Door Bins - Refrigerator:	4
Door bin adjustability - Refrigerator:	 Yes
Tilt-out door bins in fridge:	Yes
Gallon Storage:	Yes
Number of Gallon storage:	2
Motorized Shelf:	 No
Material of the shelves:	 Safety glass
Door opened indicator freezer:	Yes
Automatic motor-driven ice-maker:	 No
Fuse protection:	10 A
Voltage:	 220-240 V
Frequency:	 50-60 Hz
Storage Period in Event of Power Failure (h):	 15 h
Door panel options:	 Not possible
Noise level:	38 dB(A) re 1pW
Energy Star Qualified:	No
Plug type:	 GB plug
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	 74.99 x 39.29 x 30.70
Net weight:	261.000 lbs
Gross weight:	 284.000 lbs

**Series 4, French door bottom
freezer, multi door, 183 x 90.5 cm,
Brushed steel anti-fingerprint, Total
No Frost
KFN96APEAG**

- Doors Inox - Easy Clean

GENERAL INFORMATION

Design and Styling

- Chrome inox (metallic)
- Classic door , Door Inox - Easy Clean, side panels Chrome inox (metallic)
- Interior LED Light: Brighter lighting to help you to see the fridge interior more clearly
- Interior with metal applications

Convenience & Safety

- 7 segment electronic control
- SuperCool Function: New food can be quickly cooled down to 2 degree celsius to prevent increase in internal temperature
- Automatic Defrost in Fridge Section
- acoustic for Fridge and Freeze, Optical warning system Door open
- Acoustic Warning System, Optical Warning System by Temperature Increase

Fridge Compartment

- Multi-Air Flow System: Better air circulation and more even temperature for food to stay fresher longer
- 2door trays (large)
- 2 door trays (small)
- Dairy Compartment: Optimum storage conditions for butter and cheese

FRESHNESS SYSTEM

Freezer Compartment

- 6 x Transparent Freezer Drawers
- 1 x Ice Cube Tray
- Without Illumination in freezer section

APPLIANCE DIMENSION

- Dimensions (H x W x D): 183.0 cm x 90.5 cm x 73.1 cm


COMFORT & SAFETY

- Voltage 220 - 240 V

Accessories


**Series 4, French door bottom
freezer, multi door, 183 x 90.5 cm,
Brushed steel anti-fingerprint, Total
No Frost
KFN96APEAG**

Measurements in mm



A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended


Measurements in mm




A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended

B: Add 25 mm for fixed spacers on back

Measurements in mm



Measurements in mm



A	a	b
≤ 600	0	0
600 < A ≤ 650	45	45
650 < A ≤ 700	60	60
> 700	239	239

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled and taken out with door open to 90°